Archives I—10,000—6-10-78.

(1) Number of pages 10

(2) Date of repair 30 6 79

(3) Initials of the Referencer

TAMIL NADU ARCHIVES

GOVERNMENT OF TAMIL NADU

Revenue DEPARTMENT

G.O. No. / B.P. No. 2729 — Press. / Mis.

Dated 14. 9. 1877 197 .

Not to be folded or roughly handled

GOVERNMENT OF MADRAS.

REVENUE DEPARTMENT.

1729.

Read the following paper :—

No. 255. Endorsement of the Surgeon-General, Indian Medical Department, dated Fort St. George, 29th August 1877, No. 549.

Read the following letter from Surgeon-Major Æ. M. ROSS, Zillah Surgeon, Nellore, to Deputy Surgeon-General W. J. VANSOMEREN, M.D., Deputy Surgeon-General, Indian Medical Service, Presidency and Northern District, Madras, dated 22nd August 1877, No. 152.

I HAVE the honor to report the result of my examination into the condition of the coolies on relief-works in the neighborhood of Nellore on the 22nd July 1877. The price of second-sort rice was six seers. The wages were: for men Annas 2¼, for women Annas 1⅞, for children Annas 1¼.

COOLIES FIRST EXAMINED.

Men.—Eleven were examined. Three gained weight—one 4½ lbs., one 3 lbs., one ½ lb., total 8 lbs. Seven lost weight—one 5½ lbs., two 3½ lbs., two 3 lb., one 2½ lbs., one 2 lbs.; total 23 lbs. One remained stationary. One was anæmic, one anæmic and dropsical, two scorbutic (one of them emaciated), two anæmic, one emaciated, and three dropsical.

Women.—Twenty-one were examined. Four gained weight—one 3 lbs., three 2 lbs. each; total 11 lbs. Sixteen lost weight—one 7½ lbs., two 5 lbs., one 4½ lbs., one 3½ lbs., two 3 lbs., three 2 lbs., two 1½ lbs., and four 1 lb.; total 44½ lbs. One remained stationary.

Every one was in a more or less cachectic condition. Two were anæmic, six anæmic and scorbutic, eight anæmic and dropsical (one very much so), three anæmic, scorbutic, and dropsical, two emaciated and scorbutic.

Boys.—Four were examined. Two gained—one 1 lb., one ½ lb.; total 1½ lbs. One lost 1 lb. One remained stationary. One was dropsical and scorbutic, two scorbutic and anæmic.

Girls.—Eleven were examined. Four had gained weight—one 2 lbs., one 1½ lbs., two ½ lb.; total 4½ lbs. Five lost weight—one 3 lbs., one 2½lbs., two 1½ lbs., and one ½ lb.; total 9 lbs. Two remained stationary.

All were in a more or less cachectic condition. Six were anæmic, one (No. 13 on the list, Kanuboyana Poli, who had, since first examined on the 15th March, lost 4 lbs.) was very much so, one was scorbutic and four were anæmic and scorbutic.

RELIEF COOLIES ON ROAD WORKS.

Men.—Eight were examined. Four had gained weight—one 3½ lbs. (a boy of 16, who for 9 weeks had been working in his village), one 2 lbs. (a boy of 17 who had for 11 weeks been absent from relief-work), two 1½ lbs.; total 8 lbs. Four had lost weight—two 3½ lbs., one 2½ lbs., one 2 lbs.; total 11½ lbs. One was scorbutic, one anæmic and dropsical, one scorbutic and dropsical, one dropsical, and one dropsical and emaciated.

Women.—Fourteen were examined. Five had gained weight—one 3 lbs., one 2½ lbs., one 1 lb., and two ½ lb.; total 7½ lbs. Six had lost weight—one 6 lbs., one 4 lbs., one 1½ lb., one 1 lb. and two ½ lb.; total 13½ lbs. Three remained

stationary. One was anæmic, one scorbutic, six anæmic and scorbutic, three anæmic and dropsical, two anæmic, scorbutic, and dropsical.

Boys.—Nine were examined. Three had gained weight—one 1½ lbs., two 1 lb.; total 3½ lbs. Four lost weight—one 1 lb., three ½ lb.; total 2½ lbs. Two remained stationary. Two were anæmic, one scorbutic, two anæmic and scorbutic, one anæmic and dropsical.

Twel[illegible] were [illegible] One had gain[illegible] lbs. Six had lost weight [illegible] two l[illegible] weight very [illegible] classes [illegible] stationary, but the falling off consid[illegible]ably, except the b[illegible] in other respects was still more marked. The women especially were more scorbutic, more anæmic, and more dropsical than I had ever seen them before.

Of the road-work coolies, all classes, except the boys who gained slightly, lost weight. Their condition in other respects was also much worse than usual.

The increased wage appears to be almost neutralised by the increasing price of grain, while the rice sold in bazaars, particularly to the relief coolies, who generally purchase their supplies late at night, is of very poor quality, involving much wastage in preparing and cooking.

Many sources of extra food-supplies available at the commencement of the famine are now closed, and the coolies now, as a rule, have to live entirely on the wages they receive.

No. 6,852.

FORWARDED for information.

(Signed) W. J. VAN SOMEREN, M.D.,
Deputy Surgeon-General, [illegible] Service, Presidency and [illegible]

MADRAS,
[illegible]gust 1877.

FORWARDED to the Additional Secretary to Government, Revenue Department, for information of Government.

(Signed) G. SMITH, M.D.,
Surgeon-General, Indian Medical Department.

No. 256. ORDER THEREON, 14th September 1877, No. 2,729.

COMMUNICATED to the Sanitary Commissioner.

Miscellaneous.

(True Extract.)

(Signed) J. H. GARSTIN,
Additional Secretary to Government.

To the Sanitary Commissioner.
,, the Surgeon-General, Indian Medical Department.
,, the Board of Revenue.
,, the Financial Department.
,, the Collector of Nellore.

Ed. A. Raitt.

2/2129

[illegible] four gained weight, one 5 lbs and three 2 lbs each, total 11 lbs.
Sixteen lost weight, one 7½, two 5

2229

152 Dated 22d August 1877 Municipal Office
Salem.

2229

From M. M. Rossl. Esquire
Zillah Surgeon
Salem

To The Dy. Surgeon-General
Medical Service
Presy. & North
Madras.

Sir I have the honor to report
the result of my examination into the Cond
of the Coolies on Relief Works in the
Neighbourhood of Salem on the 22d Ju
1877.

The price of 2d lost rice was to cover
The wages were for men annas 2¼, for wo
annas 1¾, for children annas 1/6.

Coolies first examined

Eleven were examined
Three gained weight, one 4½ lbs, one 3
one ½ lb, total 8 lbs
Seven lost weight, one 5½ lbs, two 3½ lb
two 3 lbs one 2½ lbs, one 2 lbs, total 2
One remained Stationary.
One was anaemic, one anaemic and a
bical, two Scorbutic (one of them ana
ted) two Anaemic, Scorbutic and anas
and three Dropsical.

Twenty one were examined
four gained weight one 5 lbs and
three 2 lbs each, total 11 lbs.
Six lost weight, one 7½, two 5

4½ lbs, one 3½ lbs, two 3 lbs, three 2 lbs,
½ lbs and four 1 lb, total 44½ lbs.
One remained Stationary.
ny one was in a more or less, Cachec-
condition. Two were anaemic, six anaemic
Scorbutic, eight anaemic and
psical (one very much so) three anaemic,
tic and dropsical, two ana-
aemic.

s Four were examined
Two gained, one 1 lb, one ½, total 1½ lbs.
One lost 1 lb
One remained Stationary.
One was dropsical and Scorbutic,
two Scorbutic and anaemic.
Eleven were examined.
Four had gained weight, one 2 lbs
one ½, two ½ lb, total 4½ lbs.
Five lost weight, one 3 lbs, one 2½ lbs
two 1½ lbs and one ½, total 9 lbs.
Two remained Stationary.
All were in a more or less cachectic
condition. Six were anaemic, one (Ng 13
lb 1 lbs ~~scorbutic and Dropsical~~
sixteen first examined on the
March, lost 4 lbs) was very much
, one was Scorbutic and four
were anaemic and Scorbutic.

Relief Coolies on Road Work

Men

Eight were examined
Four had gained weight, one 3½ lbs
(also of 16 who for 9 weeks, had been
working in his village) one 2 lbs (also
of 17 who had for 9 weeks, been on
from Relief work) two 1½ lbs, one
Four had lost weight. Two 3½ lbs
six 2 lbs, total 41½ lbs.
One was Scorbutic, one anaemic and dro
sical, one Scorbutic and dropsical, one
dropsical and one dropsical and anae

Women

Fourteen were examined.
Five had gained weight, one 3 lbs, one 2½
one 1 lb, and two ½, total 7½ lbs.
Six had lost weight, one 6 lbs, one 4½
one 1½ lbs one 1 lb and two ½ lbs total
13½ lbs
Three remained Stationary.
One was anaemic, one Scorbutic, six
anaemic and Scorbutic, three anaemic a
dropsical, two anaemic Scorbutic & dro
sical

Boys

Nine were examined.
Three had gained weight, one 1½ lbs, tw
total 3½ lbs.
Four lost weight, one 1 lb, three ½ lb
Two remained Stationary.

Girls

Two were anaemic, one Scorbutic, two ana
and Scorbutic, one anaemic and drops
Twelve were examined
One had gained 2 lb
Six had lost weight, one lb, two 1½, o
two ½ lb, total 7 lbs

...e remained stationary.
...ere anaemic, two scorbutic and
... scorbutic and anaemic.
... will be seen that of the Coolies first
examined all classes lost weight
very considerably, except the boys who
...ained almost stationary, but the
...ir off in condition, in other respects
... still more marked. The women
...ially were more
... ic and more dropsical than I had
... in them before.
Of the Road work Coolies, all classes
except the boys who gained slightly, lost
weight. Their condition in other respects
was also much worse than usual.
The increased wage appears to be al-
most neutralized by the increasing
price of grain, while the rice sold in
the sheds, particularly to the Relief
Coolies, who generally purchase their sup-
plies late at night is of very poor quality
involving much wastage in preparing
and Cooking.
Many sources of extra food supplies
... be at the Commencement of the
... are now closed and the Coolies
... as a rule, have to live entirely on
... they receive.

I have the honor to be
Sir
Your most obed.t Serv.t

Forwarded for information.

Deputy Surgeon Gen.l
Med. Dept. Bo...

Henry M. Ross. Surgeon. Major
Civil Sub Surgeon
Belgaum

a/729

Sanitary Commissioner
Bengal Govt
Medical Dept
Fort Cox
Collection of Pollution

8
180

No 594. 1877 Dep. Sanit. Com. 27.8.77

From

The Civil Surgeon
Tho 7186 Nellore
To.

The Dy. Surg.-Gen.
I. M. L.
Presy. & A. Div.
Madras.

Ex 1

Report of the result of the Condition of the Famine Coolies in the Neighbourhood of Nellore, on the 22nd July 77

Rec 28 August
Rep 29

28/8/77

No 549

Forwarded to the Additional Secretary to Govt Revenue Dept for the information of Government

For Surgeon Genl
Surgeon General I.M.D
Fort St George
29 Augt 77.

2729

Communicated to the Sanitary Commissioner.

Ex.
30.8.77

14 September 77

Seen
1079