

(1) Number of pages 4
(2) Date of repair 18.2.1981
(3) Initials of the Referencer _____

TAMIL NADU ARCHIVES

GOVERNMENT OF TAMIL NADU

Revenue DEPARTMENT

G.O. No. B.P. No.	3571	Press. Mis.
Dated	23.6.1877	197

Not to be folded or roughly handled

sn

1
No 8567 Revenue Department

Proceedings of the Board of Revenue
Dated 14th June 1877

2
Read G.O. from the Madras Govt
Revenue Department dated 6th June 1877
No 1914 presuming that the estimate for
repair of the Villiambakkam channel
in Chingleput District was countersigned
by District Engineer or Range Officer
and stating what should be done if not
this not be the case.

3
Communicated to the Collector
of Chingleput to whom the estimate
has been returned. The Board believe
that it was not countersigned by the
District Engineer.

4
To
The collector of Chingleput
(True copy)
(True Enclach)
10/6/77
Secretary

To
The addl Secy to Govt R.D.
10/6/77
Secretary

Ms. 6 June 1877 or 108-109

Rec: 1877 Sept
78. 40/16

51

Ms. 7. 10842/1 -

Proceedings of the
Board of Revenue
Recd 14 June 1877
Recd 15 June
1877

Communicating to the
Collectors of Bangalore
E. W. D. D. Freeman

that the estimate for
supplying the Ballium
Labrum & hand

Ms. 3571
ms. 3571

Ms. 3571
23 June 77

was counter signed
by the Mr. Sargison
as a range of fees, & that
that it was not counter
signed by the Mr. Sargison
23 June 77

Ms. 3571