(1) Number of pages 1 statement (8) sheets

(2) Date of repair

(3) Initials of the Referencer

TAMIL NADU ARCHIVES

GOVERNMENT OF TAMIL NADU

Revenue DEPARTMENT

G.O. No. / B.P. No.	6294	Press. / Mis.
Dated	7-11-1877	197

Not to be folded or roughly handled.

Archives 1—10,006—19-4-79.

	Ins. 5·30	Ins. 2·37	Ins. 5·6[illegible]	Ins. [illegible]98	Ins. 4·82	
[illegible]ng, no cu[illegible] rged with fixed		rate of Quit rent.		Rose considerably.		Cholera, Small pox Dysentery and fever prevalent
Wet crops good where water was available. In other places either for want of rain.		Cumboo, Gingelly and Rasi harvested in small quantities throughout. The yield was below the average in 2 and bad in other talugs.		Almost stationary. The price of Rasi alone rose considerably.		Cholera, fever dysentery & Small pox prevalent throughout except in Trinelve.
Dry and wet crops under wells and channels tolerably good; in other places they were deteriorating or had perished.		Moncanka ai Rasi cholum Cumboo and Gingelly the outturn varied from 1/3 to 1/4 & in some places to 1/2		Fluctuated according to the supply.		Cholera still prevailed. Fever small pox and Diarrhoea existed in some places
Gingelly, Rasi, Varagu cholum and Cumboo were suffering from want of rain.		Cumboo, Gingelly and Rasi harvested. The yield was very poor		Rose except in the case of Cumboo which sold cheaper		Generally good. cholera still prevailed. There were 2092 deaths against 2700 seizures Small pox existed in Tinderamum.
Punjah crops good in some parts and Punjah crops withering from want of rain.		Cumboo and Rasi harvested in some parts. The yield was poor		Rose		There were 1210 deaths of cholera against 1572 seizures Fever in some places and small pox throughout prevailed.
Punja Rice and Rasi owing to irrigation fair Varagu, cumboo and Rasi in dry parts dried up. The crops in 2 talugs were saved by a timely rain.		Paddy in 2 talugs Cumbu throughout, cholum Rasi and Gingelly each in one talug Yield below the average		Rose		Cholera continued throughout. Small-pox also prevailed generally except in one talug
Punjah crops were doing well in parts of Peninsula but Punjah mos have failed throughout.		Paddy in 3 talugs & Gingelly in Tenicolam harvested. Outturn poor.		Slightly rose		Cholera continued throughout. Small-pox in parts of Nellor
Paddy, cholum, Rasi, Varagu, cumboo and Vegetables good under tanks and rivers.		Cholum, Rasi Cumboo harvested. Outturn bad		Slightly Rose		Small pox prevailed in 4 talugs and cholera throughout

(Ganjam ...

Rose

Rose

Rose

Slightly rose

Slightly Rose

Officers

East Centre.	Chingleput	Slight and general.	Poor	Rapi Varagu Kh- -kalum, Kasumbu in Chingleput, Kasumbu in Poor in small quantities little in other talugs.	Wet crops good where water was available. In other places withering for want of rain.	Cumboo, Gingelly and Rapi harvested in small quantities throughout. The yield was below the average in 2 and bad in other talugs.	Almost stationary. The price of Rapi alone rose considerably.	Cholera, fever, dysentery & Small-pox prevalent throughout except in Tirvallore.	Good in Conjeeveram, Sydapet and Tiruvallore poor elsewhere	Sufficient in Conjeeveram & Saree in other talugs.		
	North Arcot	General varying from half to quarter	Good in the Jeny- -ney Some receive good water	Samba, Kar, cholum, Rapi & ground nut sown in wet lands in proportion to the water supply and oilseeds varagu cumboo and Horse gram in dry lands.	Early and wet crops mostly well & tolerably good; in other places they were withering or had perished.	Insignificant as Rapi, cholum cumboo and Gingelly. The outturn varied from 1/8 to 1/4 & in some places to 1/2	Fluctuated according to the supply.	Cholera still prevailed. Fever, small pox and Diarrhœa existed in some places	Kaikal prevailed in Porto Novo and from mortality ensued. 1500 cattle are reported to have died of starvation in other talugs.	Insufficient to begin with but improved		
	South Arcot	Slight throughout	Good in the valla- -rivers	Rapi, varagu, cholum & cumboo on dry lands in some places. Paddy was transplanted on many lands in places under irrigation from rivers	Gingelly, Rapi, varagu cholum and cumboo were suffering from want of rain.	Cumboo, Gingelly and Rapi harvested. The yield was very poor	Rose except in the case of cumboo which sold cheap	Generally good - cholera still prevailed. There were 2092 deaths against 2700 seizures Small pox existed in Tindevanum.	Generally healthy. Cattle suffered from want of fodder.	Insufficient.		
Cauvery.	Tanjore	General varying from 5 to 3½ inches.	Not Supplied to tanks	Samba, pesk anam, varagu and cumboo cholum, Rapi & in Punjah	Punjah crops good in some parts and Punjah crops withering from want of rain.	Cumboo and Rapi harvested in some parts. The yield was poor.	Rose	There were 1210 deaths of cholera against 1572 seizures Fever in some places and small pox throughout prevailed.	Cattle disease prevalent in several places with some loss	Insufficient		
	Trichinopoly ...	General varying from 2 to 2·5 inches	Fresh- -rivers they are	Cumbu in the part to and Cumb- Rapi in dry which had	Cumbu, Kar and Rapi under irrigation fair, Varagu, cumboo and Rapi in dry parts dried up. The crops in 2 talugs were saved by a timely rain.	Paddy in 2 talugs Cumboo throughout. Cholum Rapi and Gingelly each in one talug. Yield below the average	Rose	Cholera continued throughout. Small-pox in 2 talugs also prevailed generally except in one talug.	Cattle disease prevailed in 2 talugs. Cattle were suffering from want of fodder.	Insufficient in wet parts and scarcity in dry.		Good showers have fallen in most parts of the district and have improved crops somewhat though not so much as they could have done if they had fallen earlier. Early Paddy crops have improved.
	Madura ...	Slight and partial	Some	Paddy, cholum, Ra- and Varagu in talug	Punjah crops were doing well in parts of Peria- but Punjah ones have failed throughout.	Paddy in 3 talugs & Gingelly in the cholum harvested. Outturn poor.	Slightly rose	Cholera continued throughout. Small-pox in part of the	Poor	Scarce except in 2 talugs.		
	Tinnevelly			Paddy, cholum, Rapi, Varagu and Cumbu and Vegetables	Paddy, cholum, Rapi, Varagu, cumboo and Vegetables good under wells and rivers.	Cholum, Rapi, cumboo harvested. Outturn bad	Slightly Rose	Small pox prevailed in 4 talugs and cholera throughout	Generally healthy. Bad fever and Diarrhœa prevailed in 4 talugs with	Insufficient		
West Centre.	Coimbatore	Slight else- -where	Slight- -the Bhow- -vani	good in Attoor some parts. Rapi cumbu and Rapi under wells and Paddy and Rapi wet lands being transplanted	Rapi in some parts harvested. The of the pot was ½ of the last 1/8 the rest	Rose	Small pox more or less prevalent throughout. Mortality therefrom great.	Cholera and small pox prevailed throughout. Scarcity of fodder. Murrain prevailed in one Talug	Insufficient			
	Nilgiris	Slight and partial	Slightly in the Kun- -rivers		Tamai, Koralai Rapi, Varai not in good condition.	Wheat, Gar- -tamai harvested. The yield	Stationary	Generally good.	Healthy	Insufficient		
	Salem	Slight	Slight- -in the ner-	Cumbu, cholum Rapi Varagu and Pulse oilseed.	Crops under wells generally in good condition	Cumbu, Pulse and Gingelly harvested. The was small	Rose	Cholera, Diarrhœa and fever prevailed throughout	Good	Scanty.	Relief works in progress	
	South Canara	Abundant	Insuf-		The Paddy crop and Rapi were in excellent condition		Rose	Cholera, fever and dysentery existed in some parts - Small pox existant.	Good	Sufficient		
West.	Malabar	Sufficient.			Paddy Kanny crop generally good.		Almost Stationary.	Cholera and Small pox prevailed to some extent in some 9 talugs	Healthy.	Sufficient.		

REVENUE BOARD OFFICE,
Madras, 27th March 1877.

To

Secretary to Government,
Revenue Department.

Actg. Secretary.

Secretary.

| | | |

| | | |