

(1) Number of pages 8 sheet (1 statement)
(2) Date of repair _____
(3) Initials of the Referencer _____

TAMIL NADU ARCHIVES

GOVERNMENT OF TAMIL NADU

Revenue DEPARTMENT

G.O. No.	6393	Press.
B.P. No.		Mis.
Dated	21. 11. 1877	197 .

Not to be folded or roughly handled.

Remarks of District Officers on the state of the Season, for the Month of September 18

Asli 1287.

Districts.	Season.		Crops.		Prices.	Public Health.	Condition.	Pasture.	Remarks.
	Rain-fall.	Refreshes.	Sown.	Standing and their condition.	Harvested and their out-turn.				
Northern Section.	Ganjam	occasional showers insufficient	Small rains in the 1st part	Horsegram, Gingelly, ilseem, and Ragi	lotter, sugar cane, red gram, horsegram, and other crops, but the last two needed more rain.	Stationary.	Cholera and small pox prevalent in the South.	Cattle disease prevalent in places.	curable
	Vizagapatam	General. Average 7.5 inches	the	Horsegram, Lamp oilseed, Paddy, Ragi, Red gram, sugar cane, cotton, cholera, horsegram, and other crops, but the last two needed more rain.	Stationary, else where.	Rose in 12 Taluqs and remained stationary, else where.	Cholera prevalent in 12 Taluqs, small pox in 2, and fever in 2.	Cholera prevalent in 2 Taluqs.	Abundant.
	Godavery	Good	the	Cholera was heavy	Cholera was heavy	Continued high	Cholera prevalent in 12 Taluqs, small pox in 2, and fever in 2.	Cholera prevalent in 2 Taluqs.	Abundant.
	Kistna	Very good rain throughout the District	the	Cholera was heavy	Cholera was heavy	Fell slightly.	Cholera prevalent in 12 Taluqs, small pox in 2, and fever in 2.	Cholera prevalent in 2 Taluqs.	Abundant.
	Nellore	General. Average 5.5 inches	the	Cholera was heavy	Cholera was heavy	Fell slightly.	Cholera prevalent in 12 Taluqs, small pox in 2, and fever in 2.	Cholera prevalent in 2 Taluqs.	Abundant.
Central Districts.	Cuddapah	General. Varying from 4 to 9 inches	the	Cholera was heavy	Cholera was heavy	Fell except in the case of rice.	Cholera prevalent in 12 Taluqs, small pox in 2, and fever in 2.	Cholera prevalent in 2 Taluqs.	Abundant.
	Bellary	General	the	Cholera was heavy	Cholera was heavy	Fell except in the case of rice.	Cholera prevalent in 12 Taluqs, small pox in 2, and fever in 2.	Cholera prevalent in 2 Taluqs.	Abundant.
	Kurnool	General. Average 7.5 inches	the	Cholera was heavy	Cholera was heavy	Fell except in the case of rice.	Cholera prevalent in 12 Taluqs, small pox in 2, and fever in 2.	Cholera prevalent in 2 Taluqs.	Abundant.
	Madras	Moderate. Average 3.15 inches	the	Cholera was heavy	Cholera was heavy	Rose considerably	Cholera prevalent in 12 Taluqs, small pox in 2, and fever in 2.	Cholera prevalent in 2 Taluqs.	Abundant.
	Chingleput	General	the	Cholera was heavy	Cholera was heavy	Fell	Cholera prevalent in 12 Taluqs, small pox in 2, and fever in 2.	Cholera prevalent in 2 Taluqs.	Abundant.
North Arcot	General. Varying from 11 to 2.5 inches	the	the	Cholera was heavy	Cholera was heavy	Rose	Cholera prevalent in 12 Taluqs, small pox in 2, and fever in 2.	Cholera prevalent in 2 Taluqs.	Abundant.

