

(1) Number of pages 4
 (2) Date of repair 28. 2. 80
 (3) Initials of the Referencer _____

TAMIL NADU ARCHIVES

GOVERNMENT OF TAMIL NADU

Revenue DEPARTMENT

G.O. No.	<i>29</i>	Press.
B.P. No.		Mis.
Dated	<i>13. 2. 1977</i>	197 .

Not to be folded or roughly handled

No. 56-W.

809

No. 230.

MEMORANDUM.

The following authorizations to the Superintending Engineer, Godavery, to proceed with emergent work in connection with the Godavery anicut in anticipation of the provision of funds are reported for the information of Government, the rules as to allotments and appropriations having been set aside.

(1.)—Restoring apron below Dowlaishwaram under sluices, which has been washed away during the last freshes—
Memorandum, No. 13-G.D., dated 19th instant. estimate Rupees 11,000.

Do., No. 14-G.D., dated 19th do. (2.)—Protective works above the Dowlaishwaram branch of the anicut—estimate Rupees 8,400.

Do., No. 15-G.D., dated 19th do. (3.)—Protective works at hole below Muddur branch of anicut—estimate Rupees 11,000.

2. The instructions sent in reply to the Superintending Engineer's letters prescribe modifications of the proposed arrangements which will, in each case, reduce expenditure, and the Superintending Engineer has been instructed to report the amounts of the revised estimates as soon as possible. It appears probable however that an allotment of at least Rupees 25,000 will be required, and the following transfers are recommended to allow of the rules being conformed to:—

FROM ORDINARY AGRICULTURAL—REPAIRS. To REVENUE—MAINTENANCE AND REPAIRS.

Cuddayah District.				RS.			
Irrigation Works	...	...	...	10,000	Godavery Delta System	...	25,000
River Conservancy	...	...	...	10,000			
South Arcot District.							
Irrigation Works	...	...	...	5,000			
				25,000			25,000

3. More or less expenditure on protective works, in connection with the Godavery Anicut, is necessary annually. The nature and extent of such work cannot be ascertained until after the cessation of the freshes, and then there is no time to spare in carrying it out. It has been pointed out to the Superintending Engineer that it is his duty to reserve from the Repair grant enough money to meet both ordinary expenditure on this account, and also to provide a margin for any extra work which may be found necessary.

FORT ST. GEORGE,
19th January 1877.

(Signed) JOHN MULLINS, Lieut.-Col., R.E.,
Chief Engineer for Irrigation.

To the Secretary to Government, Public Works Department.

*Proceedings of the Madras Government, Public Works Department,
7th February 1877. No. 435.*

No. 231.

ORDER THEREON, 7th February 1877, No. 435.

ACCOUNT.

Irrigation, No. 25.

The proceedings of the Chief Engineer for Irrigation, as reported in the foregoing memorandum, are approved, and the transfers recommended to provide

Rupees 25,000 additional for Revenue, Maintenance and Repairs, in the Godavery are sanctioned subject to the confirmation of the Government of India, which will be applied for in the usual manner.

(True Extract.)

W. H. ...

Lieut.-Colonel, R.E.,
Secretary to Government.

To the District Engineer, Godavery.

" " Cuddapah.

" " South Arcot.

" Collector of Godavery.

" Examiner of Public Works Accounts.

" Chief Engineer for Irrigation.

" Revenue Department. ✓

Exd. A. Grubert.

Spare Copies

38
2

Rev: 1877 Sept
Cont. of 1877-78

PUBLIC WORKS.

1220

THE DISTRICT ENGINEER,

GODAVERY.

&c. &c. &c.

Dated February 7th.

Encl.

Recd 12 Febry

Encl.

G. O., 7th February 1877, No. 43.

FEBRUARY.

Nos. 230-231.

General Agent.—The proceedings of the
Chief Engineer for Irrigation in authorizing
the Superintending Engineer to proceed
with certain emergent work in connection
with the —, approved, and the transfer of
funds recommended, sanctioned, subject to
the confirmation of the Government of India.

1877
Comm. to the
Boards of Revenue
13 Feb 77