

(1) Number of pages 1 sheet
(2) Date of repair 16-10-1982
(3) Initials of the Referencer _____

TAMIL NADU ARCHIVES

GOVERNMENT OF TAMIL NADU
REVENUE DEPARTMENT

G.O. No.	627	Press.
B.P. No.		Mis.
Dated	9-3-1878	197.

Not to be folded or roughly handled

627
1

GOVERNMENT OF MADRAS.
PUBLIC WORKS DEPARTMENT.

1st March 1878, No. 171 I.

Irrigation.

Account.

Read the following paper:—

No. 1. Proceedings of the Madras Government, Revenue Department, dated 12th February 1878, No. 217.

No. 2. ORDER THEREON, 1st March 1878, No. 171 I.

It is observed that the course followed by the Superintending Engineer, Godavery, in his letter No. 1,628 of the 14th August 1877, to the Collector was wrong. Major Beatty was under the rule to, but they should have been submitted for the sanction of Government, through the Chief Engineer for Irrigation, with the necessary information.

2. It is not at all clear that the entire of the two tanks have been estimated for, the Superintending Engineer should have such estimate prepared and submit them for sanction, proceeding in the mean time with the revenue which estimates have been sanctioned in the Revenue Department.

(True)

Lt.-Col., R.E.,
Joint Secy. to Govt., P.W.D.,
Irrigation Branch.

To the Superintending Engineer, Godavery
" Chief Engineer for Irrigation.
" Revenue Department.

Exd. E. C. Shunker.
Spare Copies

Is this not the case in which it was reported to the Rev. Secy. for Irrigation?
Yes, it was.
For plan see page 2 of the file.

Revenue *Sept 11*
No 10442
IRRIGATION.
ACCOUNT.

Govt. of (1878) Madras.
PUBLIC WORKS.

To
The SUPERINTENDING ENGINEER,
GODAVERY.
&c., &c., &c.

Dated March 1st

Received

17 March

G. O., 1st March 1878, No. 171 L.

MARCH.

Nos. 1-2.

Sattigunta and Yerra tanks, Godavery
District. — Remarks on the course followed
by the Superintending Engineer in respect
to the estimates for repairing supply
channels of —

4627
Comm. to the
Board of Revenue
11/5/78

17/5/78