

(1) Number of pages 8 sheets (statement)
(2) Date of repair 6.8.82
(3) Initials of the Referencer _____

TAMIL NADU ARCHIVES

GOVERNMENT OF TAMIL NADU

Revenue

DEPARTMENT

G.O. No.	66	Press.
B.P. No.		Mis.
Dated	8.1.1878	197

Not to be folded or roughly handled.

Southern Section.	Tinnevely	Good	Good fishes in the Tambraparani and other rivers.	Paddy, cholam, Rapa, Cumbur, Alanda, Sonmai, horse-grain, Cotton and vegetables.	The crops were flourishing.	How paddy. The yield was fair.	Fell	Small, prevailed in all taluqs and small-hos in 2.	Whippuna prevailed in 4 taluqs with some loss.	Sufficient	
	Coimbatore	Good	Heavy fishes in the country. Bhavani, and Bravathy, and other rivers.	Cumbur, cholam, horse-grain, cotton, and Bengal gram. Paddy was being transplanted.	The crops were generally thriving, but in some places the dry crops suffered from excessive rain.	Rapa, Sonmai, and cholam. The yield was $\frac{3}{4}$.	Fell	Small, prevailed throughout the district. Some small-hos and dryness existed in certain taluqs.	Improving. Burraim reported to have appeared in one taluq.	Abundant.	
West Centre.	Nilgiris	Heavy	Fishes in most of the streams.	Vendiam.	Wheat, onions, garbanzo, potatoes, Batta, radishes, &c. Paddy seeds were in a good condition but the excessive rain had done much harm.	Morali and Sonmai. The outturn was $\frac{3}{4}$.	Fell	Good	Good	Sufficient	
	Salem	Abundant	Good fishes in all the rivers.	Cumbur, cholam, Rapa, horse-grain, Alanda, Kudaga, Waraga, gingelly, seeds and paddy.	The crops were in a good condition.	Cumbur, cholam, Sonmai, Rapa, anarai, and paddy. The yield of paddy was $\frac{3}{4}$ and of the rest about $\frac{1}{2}$.	Fell	Cholera, small-hos and fever prevailed in certain parts.	Good	Abundant.	The people have resumed agricultural operations since the improvement in the season.
West.	South Canara	Considerable and unseasonable slight for harvesting	The 2nd rice crop in most parts.	The crops were in a good condition.	First rice crop the yield was good in spite of unseasonable rain.	Fell	Cholera throughout the district. Small-hos and dryness in certain taluqs prevailed.	Good	Sufficient		
	Malabar	Abundant	Fishes in the rivers.	"Kojaram" or 2nd crop was being sown.	Gingelly and horse-grain crops were in a good condition.	How.	Fell.	Small-hos and cholera were reported from some taluqs.	Good	Sufficient.	

REVENUE BOARD OFFICE,
Madras, 21st December 1877.

To
The Secretary to Government,
Revenue Department.

C. S. Cotton
Sub Secretary.

East Centre	Chingleput			in good condition. The yield was fair.	Full	Small pox in and the small pox.	Abundant	
				Large no cultivation accounts and are charged with forest rates 2nd rent.	Full	Small pox in and the small pox.	Good	
				Lamba har and Rapi were in a good condition.	Full	Small pox in and the small pox.	Good	
				Lamba har and Rapi were in a good condition.	Full	Small pox in and the small pox.	Good	
North Arcot		Good	to 21 1/2 inches	came, ketel in wetland, cholum horse gram, ladda, in, gingelly, lamba, Rapi, oil seeds, Rapi, conduta & Rapi in dry land.	Full	Small pox in and the small pox.	Good	
		Abundant	3.9 inches to 18 1/2 inches	Rapi, Rapi, cholum, blunder horse gram and in a good condition. Slight injury was caused down and transplanted by excessive rain.	Full	Small pox in and the small pox.	Good	
		Good	6 to 14 inches	2nd crop Rapi, Rapi, and horse gram, Rapi.	Full	Small pox in and the small pox.	Good	
		Good	6 to 14 inches	2nd crop Rapi, Rapi, and horse gram, Rapi.	Full	Small pox in and the small pox.	Good	
South Arcot		Good	6 to 14 inches	2nd crop Rapi, Rapi, and horse gram, Rapi.	Full	Small pox in and the small pox.	Good	
		Good	6 to 14 inches	2nd crop Rapi, Rapi, and horse gram, Rapi.	Full	Small pox in and the small pox.	Good	
		Good	6 to 14 inches	2nd crop Rapi, Rapi, and horse gram, Rapi.	Full	Small pox in and the small pox.	Good	
		Good	6 to 14 inches	2nd crop Rapi, Rapi, and horse gram, Rapi.	Full	Small pox in and the small pox.	Good	
Tanjore		Good	6 to 14 inches	2nd crop Rapi, Rapi, and horse gram, Rapi.	Full	Small pox in and the small pox.	Good	
		Good	6 to 14 inches	2nd crop Rapi, Rapi, and horse gram, Rapi.	Full	Small pox in and the small pox.	Good	
		Good	6 to 14 inches	2nd crop Rapi, Rapi, and horse gram, Rapi.	Full	Small pox in and the small pox.	Good	
		Good	6 to 14 inches	2nd crop Rapi, Rapi, and horse gram, Rapi.	Full	Small pox in and the small pox.	Good	
Trichinopoly		Good	6 to 14 inches	2nd crop Rapi, Rapi, and horse gram, Rapi.	Full	Small pox in and the small pox.	Good	
		Good	6 to 14 inches	2nd crop Rapi, Rapi, and horse gram, Rapi.	Full	Small pox in and the small pox.	Good	
		Good	6 to 14 inches	2nd crop Rapi, Rapi, and horse gram, Rapi.	Full	Small pox in and the small pox.	Good	
		Good	6 to 14 inches	2nd crop Rapi, Rapi, and horse gram, Rapi.	Full	Small pox in and the small pox.	Good	
Madura		Good	6 to 14 inches	2nd crop Rapi, Rapi, and horse gram, Rapi.	Full	Small pox in and the small pox.	Good	
		Good	6 to 14 inches	2nd crop Rapi, Rapi, and horse gram, Rapi.	Full	Small pox in and the small pox.	Good	
		Good	6 to 14 inches	2nd crop Rapi, Rapi, and horse gram, Rapi.	Full	Small pox in and the small pox.	Good	
		Good	6 to 14 inches	2nd crop Rapi, Rapi, and horse gram, Rapi.	Full	Small pox in and the small pox.	Good	
Tinnevely		Good	6 to 14 inches	2nd crop Rapi, Rapi, and horse gram, Rapi.	Full	Small pox in and the small pox.	Good	
		Good	6 to 14 inches	2nd crop Rapi, Rapi, and horse gram, Rapi.	Full	Small pox in and the small pox.	Good	
		Good	6 to 14 inches	2nd crop Rapi, Rapi, and horse gram, Rapi.	Full	Small pox in and the small pox.	Good	
		Good	6 to 14 inches	2nd crop Rapi, Rapi, and horse gram, Rapi.	Full	Small pox in and the small pox.	Good	
Coimbatore		Good	6 to 14 inches	2nd crop Rapi, Rapi, and horse gram, Rapi.	Full	Small pox in and the small pox.	Good	
		Good	6 to 14 inches	2nd crop Rapi, Rapi, and horse gram, Rapi.	Full	Small pox in and the small pox.	Good	
		Good	6 to 14 inches	2nd crop Rapi, Rapi, and horse gram, Rapi.	Full	Small pox in and the small pox.	Good	
		Good	6 to 14 inches	2nd crop Rapi, Rapi, and horse gram, Rapi.	Full	Small pox in and the small pox.	Good	
Nilgiris		Good	6 to 14 inches	2nd crop Rapi, Rapi, and horse gram, Rapi.	Full	Small pox in and the small pox.	Good	
		Good	6 to 14 inches	2nd crop Rapi, Rapi, and horse gram, Rapi.	Full	Small pox in and the small pox.	Good	
		Good	6 to 14 inches	2nd crop Rapi, Rapi, and horse gram, Rapi.	Full	Small pox in and the small pox.	Good	
		Good	6 to 14 inches	2nd crop Rapi, Rapi, and horse gram, Rapi.	Full	Small pox in and the small pox.	Good	
Salem		Good	6 to 14 inches	2nd crop Rapi, Rapi, and horse gram, Rapi.	Full	Small pox in and the small pox.	Good	
		Good	6 to 14 inches	2nd crop Rapi, Rapi, and horse gram, Rapi.	Full	Small pox in and the small pox.	Good	
		Good	6 to 14 inches	2nd crop Rapi, Rapi, and horse gram, Rapi.	Full	Small pox in and the small pox.	Good	
		Good	6 to 14 inches	2nd crop Rapi, Rapi, and horse gram, Rapi.	Full	Small pox in and the small pox.	Good	

[illegible]

... and Rain Report of all the
 1877, Fasil 1287.

Fasil 1287.	
Northern Section.	
Southern Section.	
Eastern Section.	
Western Section.	
Average.	

Statement of Cotton

Indigo Cultivation with their Mar

Prices, up to the Month of October 1877,

Market rate of cleaned Cotton per Candy of 500 lbs.	
Extent.	Official year 1876.77
Assessment.	Official year 1877.78
Extent.	
Assessment.	
Market rate of cake Indigo per moud of 25 lbs.	

Prices of Grain and Salt—Rain-fall, Cotton and Indigo cultivation, and state of the Season in all districts of the Madras Presidency for the Month of October 1877. Statement showing—

Dated 21st December 1877.
 Received 21st December 1877.
 8. Jany 78
 Circulated
 24. 1866

The Secretary to the

From

Per 1877 1877

To

To

gent

5. Jany 78 H. S. Jany 78

N^o 5314

2.10	2.41	3.15	2.09
4.13	4.12	4.00	3.27
4.11	7.98	7.24	4.64
6.36	6.70	8.36	4.06

Northern Section.	...	...
Godavary	...	...
Kistna	...	...

10.91	10.00	11.03	6.51	9.61
5.24	8.63	6.71	3.46	6.01
8.40	8.85	7.59	8.78	8.40
3.3.99	3.54	5.53	6.73	4.94
...	...	...	...	8.56

Ceded Districts.	...	...
Bellary	...	...
Kurnool	...	...

6.3	12.90	10.85	8.14	9.18	10.26
6.4	10.30	8.70	12.03	8.20	9.80

East Centre.	...	...
North Arcot	...	...
South Arcot	...	...

6.4	11.55	11.43	5.40	12.80	10.29
8.9	13.01	13.01	7.80	12.02	11.46

Can. vey.	...	...
Tanjore	...	...
Trichinopoly	...	...

5.1	13.42	18.92	8.77	12.11	13.30
5.3	8.40	7.00	6.79	6.00	7.04

South. ern Sec.	...	...
Madura	...	...
Tinnevely	...	...

8.8	12.70	7.54	6.82	12.20	9.81
8.5	18.00	18.25	14.38	6.24	14.21

West Centre.	...	...
Coimbatore	...	...
Nilgiris	...	...
Salem	...	...

5.0	9.36	13.80	12.30	8.80	11.06
5.4	9.80	14.30	13.80	12.20	12.27

West.	...	...
South Canara	...	...
Malabar	...	...

6.4	17.08	18.43	22.56	22.49	20.14
-----	-------	-------	-------	-------	-------

Total ... 130,005 564 501 550,595 657,645 114,838 268,428 92,473 306,592

Remarks

Season

Secretary.

Secretary.

Cholera, etc. and other and partly do

throughout

Chingleput

East Centre.

North Arcot

South Arcot

Tanjore

Remarks
Cane, held in pichland.
Cholera, horse grass, hidden
to, principally, bundles, the
old seeds, Raji, Coudala &
Rudra in dry land.
Raji, Varsa, cholera
Cholera, horse grass, and
ground and Raji, in
mangal lands most likely
born and transported
2nd crop Varsa,
the tanks around Raji, Varsa, and
Boregum, Raji.

Good
Varying from
46 to 21 1/2 inches
Abundant
Varying from
3.9 inches to 13 1/4
inches
Good
Varying from
6 to 12 inches

the state of the Season, for the Month of October

1877, Fasli 1287.

CROPS.		Prices.	Public Health.	CATTLE.		REMARKS.
Standing and their condition.	Harvested and their out-turn.			Condition.	Pasture.	
Wheat, Rapi, cholam, sugar cane, horse gram, cotton, and black gram. The yield of the 1st was $\frac{5}{8}$ of the 2nd $\frac{1}{4}$ and of the 3rd $\frac{3}{8}$ of an acre.	Wheat in 2 taluqs, Rapi in 3 and black gram. The yield of the 1st was $\frac{5}{8}$ of the 2nd $\frac{1}{4}$ and of the 3rd $\frac{3}{8}$ of an acre.	Stationary	Cholera and small pox generally prevailed. 202 deaths are reported to be due to the former.	Cattle disease in certain places. 40 deaths are reported in one taluq.	Procureable	
Wheat, Rapi, cholam, sugar cane, horse gram, cotton, and black gram. The yield of the 1st was $\frac{5}{8}$ of the 2nd $\frac{1}{4}$ and of the 3rd $\frac{3}{8}$ of an acre.	Wheat in 2 taluqs, Rapi in 3 and black gram. The yield of the 1st was $\frac{5}{8}$ of the 2nd $\frac{1}{4}$ and of the 3rd $\frac{3}{8}$ of an acre.	Rise in 7 and fell in 3 taluqs. Stationary elsewhere.	Cholera prevailed in 11 taluqs. Small pox in one and fever in 5.	Murrain existed in 3 taluqs.	Abundant	
Wheat, Rapi, cholam, sugar cane, horse gram, cotton, and black gram. The yield of the 1st was $\frac{5}{8}$ of the 2nd $\frac{1}{4}$ and of the 3rd $\frac{3}{8}$ of an acre.	Wheat in 2 taluqs, Rapi in 3 and black gram. The yield of the 1st was $\frac{5}{8}$ of the 2nd $\frac{1}{4}$ and of the 3rd $\frac{3}{8}$ of an acre.	Continued high	Cholera prevailed throughout the District. Small pox in 3 taluqs and fever slightly in 5 also prevailed.	Generally healthy. Cattle disease prevailed in 3 taluqs.	Good. Dry fodder generally procurable.	Ancient canals were open for irrigation and navigation.
Wheat, Rapi, cholam, sugar cane, horse gram, cotton, and black gram. The yield of the 1st was $\frac{5}{8}$ of the 2nd $\frac{1}{4}$ and of the 3rd $\frac{3}{8}$ of an acre.	Wheat in 2 taluqs, Rapi in 3 and black gram. The yield of the 1st was $\frac{5}{8}$ of the 2nd $\frac{1}{4}$ and of the 3rd $\frac{3}{8}$ of an acre.	Slightly fell	Cholera prevailed in some taluqs. There were 178 deaths and 461 attacks. Fever and small pox also prevailed in certain taluqs.	Generally healthy. Dysentery existed here and there.	Insufficient	The season has improved and the prospects are fair.
Wheat, Rapi, cholam, sugar cane, horse gram, cotton, and black gram. The yield of the 1st was $\frac{5}{8}$ of the 2nd $\frac{1}{4}$ and of the 3rd $\frac{3}{8}$ of an acre.	Wheat in 2 taluqs, Rapi in 3 and black gram. The yield of the 1st was $\frac{5}{8}$ of the 2nd $\frac{1}{4}$ and of the 3rd $\frac{3}{8}$ of an acre.	Slightly fell	Cholera prevailed in some taluqs. There were 178 deaths and 461 attacks. Fever and small pox also prevailed in certain taluqs.	Good	Abundant	The season was very favorable for agriculture.
Wheat, Rapi, cholam, sugar cane, horse gram, cotton, and black gram. The yield of the 1st was $\frac{5}{8}$ of the 2nd $\frac{1}{4}$ and of the 3rd $\frac{3}{8}$ of an acre.	Wheat in 2 taluqs, Rapi in 3 and black gram. The yield of the 1st was $\frac{5}{8}$ of the 2nd $\frac{1}{4}$ and of the 3rd $\frac{3}{8}$ of an acre.	Slightly fell	Cholera prevailed in some taluqs. There were 178 deaths and 461 attacks. Fever and small pox also prevailed in certain taluqs.	Generally good.	Abundant	
Wheat, Rapi, cholam, sugar cane, horse gram, cotton, and black gram. The yield of the 1st was $\frac{5}{8}$ of the 2nd $\frac{1}{4}$ and of the 3rd $\frac{3}{8}$ of an acre.	Wheat in 2 taluqs, Rapi in 3 and black gram. The yield of the 1st was $\frac{5}{8}$ of the 2nd $\frac{1}{4}$ and of the 3rd $\frac{3}{8}$ of an acre.	Fell.	Fever and Diarrhoea prevailed in some places.	Good	Abundant	The burst of the S.E. monsoon at a time when most of the early dry crops were almost ready for the sickle has caused great damage in many places.

Chingapat	North Arcot	South Arcot	Tanjore
Good	Good	Good	Good
Wheat, Rapi, cholam, sugar cane, horse gram, cotton, and black gram. The yield of the 1st was $\frac{5}{8}$ of the 2nd $\frac{1}{4}$ and of the 3rd $\frac{3}{8}$ of an acre.	Wheat, Rapi, cholam, sugar cane, horse gram, cotton, and black gram. The yield of the 1st was $\frac{5}{8}$ of the 2nd $\frac{1}{4}$ and of the 3rd $\frac{3}{8}$ of an acre.	Wheat, Rapi, cholam, sugar cane, horse gram, cotton, and black gram. The yield of the 1st was $\frac{5}{8}$ of the 2nd $\frac{1}{4}$ and of the 3rd $\frac{3}{8}$ of an acre.	Wheat, Rapi, cholam, sugar cane, horse gram, cotton, and black gram. The yield of the 1st was $\frac{5}{8}$ of the 2nd $\frac{1}{4}$ and of the 3rd $\frac{3}{8}$ of an acre.

White cholam, horse gram, paddy, and other crops are in good condition throughout the District.

	10370	139	645	3197	973	4675	49	
6	8602	15317	112	1018	8856	1216	9306	42
0	3924	10625	102	1435	5643	1391	5684	42
4	121872	177650	92	25507	45146	8103	15070	46
11	4495	4157	131	12898	27178	8406	17270	47
23	30637	37788	816162	17717	64169	30405	63266	48 to 60
18	169081	115522	170	415	540	368	354	52
7	97031	128463	114	15038	27795	7103	12168	56
		1156120						50 to 60
				2743	5728	1412	5013	
6	142	469	110	4404	8283	1861	5208	45
39	1465	2850	146	30996	59778	29513	59420	26
6	621	700	87	123	168	251	491	8
11	3664	3827	95	312	444	352	596	22
76	30237	59213	100	5	11	9	11	32
24	38330	46014	109	50	121	90	161	36
216	37757	38776	124					40
84	4326	5888	110	1532	6671	1012	5899	45
			124					
101	550595	65764		114838	268438	92473	204572	

Calcutta
Secretary.

Remarks of District Officers of

DISTRICTS.	SEASON.		
	Rain-fall.	River-freshes.	Sown.
Ganjam	Occasional and insufficient	Small freshes in the Rushikulga and in the Chinast river	Horsegram, finger oil-seed, Rapi and Mustard.
Vizagapatam	Moderate Average 5.8 inches	Freshes in the rivers channels and tanks received a supply	Horsegram, greengram, black gram, cholam, cotton, redgram and Lampoil seeds. Paddy, tobacco, chillies and red potatoes were transplanted.
Godavery	Very good	Slight freshes in the Godavery and the yelam	Cotton, horsegram, castor seeds, Black gram, Tobacco and chillies were being planted.
Kistna	Good varying from 2 to 10 inches	Slight freshes in the river. Canals and tanks had a sufficient supply	Variga, horsegram, black gram, tobacco, cotton, chillies &c. But paddy was transplanted in some taluqa.
Nellore	Very good Average 11.1 inches	Freshes in the rivers. The Bhamu, Rapi, Variga, Aruga, oil continued to be above the amount during the whole month.	Paddy of all sorts, horsegram, seeds, cholam, Korra gram, gram and cotton.
Cuddapah	Good varying from 5 to 13 inches	Modest, but freshes in the rivers. The tanks received a fair supply.	Rapi, Dugga, cholam, cotton, horsegram, and other dry grains and paddy in wet lands.
Bellary	Heavy throughout the District	Freshes in the rivers	Paddy, white cholam, Korra, horsegram, Rapi gram, wheat, cotton &c.
		Freshes	the white cholam throughout

1	2.10	2.41	3.15	2.07	(Ga	...	5.201	7.75			
...	19.9	9.0	37.8	17.1	26.7	13.1	7.5	14.6	27.3	15.9	16.5
...	15.1	7.7	28.3	13.5	25.9	9.4	29.3	12.1	25.5	11.9	17.5
...	15.7	9.3	27.0	15.0	27.3	11.3	27.9	12.9	20.7	11.5	16.2
...	13.7	7.9	21.9	12.4	20.0	10.7	24.2	11.5	20.4	8.8	16.1
...	11.7	5.4	19.7	9.5	17.6	7.2	18.8	8.0	16.6	6.8	17.0
...	8.7	7.1	15.7	10.2	11.8	9.0	12.0	9.1	12.8	5.8	15.3
...	8.4	6.8	14.5	10.5	10.4	9.1	10.5	10.7	11.6	7.6	13.4
...	7.3	7.6	12.0	10.1	9.3	8.2	10.6	8.8	11.5	7.5	14.2
...	9.4	7.7	16.3	12.8	12.5	11.4	12.8	11.0	13.9	8.0	18.6
...	11.1	8.1	18.8	12.7	13.6	6.7	17.0	11.8	14.7	7.1	...
...	9.8	8.0	15.7	12.9	12.8	8.3	14.6	9.9	15.4	6.7	17.0
...	12.7	6.8	21.0	10.9	23.0	8.5	22.6	10.7	18.1	7.9	17.1
...	13.4	6.9	23.4	12.1	24.0	11.3	24.3	12.2	17.4	6.0	17.1
...	13.0	6.3	23.3	11.5	25.2	...	22.2	10.6	17.4	6.1	15.9
...	11.9	6.7	20.1	11.6	22.5	8.4	23.5	9.4	19.5	6.3	17.5
...	11.2	7.8	17.9	11.3	20.6	8.9	22.5	9.9	16.5	8.0	15.6
...	10.7	8.0	17.6	13.1	18.4	10.4	17.8	11.2	16.6	6.1	14.4
...	7.8	6.0	...	...	12.5	7.0	12.2	7.5	12.7	6.5	10.9
...	10.1	7.7	16.7	12.5	14.4	8.3	14.6	9.1	15.0	5.6	15.1
...	12.5	8.5	22.8	15.9	...	...	16.5	10.0	12.8	6.9	13.6
...	11.8	9.9	21.2	17.5	...	...	14.9	9.7	15.3	8.4	12.9

B. Bonhagshult
G. Goshult.