11236

Public Works (1896) Department.

G.O., No. 1048 I

DATED 12. December

14/12/96

[Despatch Abstract.]

Current meters. Re value of the — used in the Cauvery delta, adverting to the with remarks
from the Godaveri to the Cauvery Delta System.

T.C. 12/12

12/12

BACK PAPERS.

G.O.	No	Department	Date	G.O.	No	Department	Date

FURTHER PAPERS.

G.O.	No	Department	Date	G.O.	No	Department	Date

IRRIGATION.
ACCOUNT.

Government [1896] of Madras.

PUBLIC WORKS.

Recd. } 1896. *Enclosures*

Regd. } *Spare copies*

G.O., No. 1048 I., 12th December 1896.

DECEMBER.

Current Meters

The value of the — used in the Cauvery delta, ordered with remarks to be written back from the Gódávari to the Cauvery delta system.

GOVERNMENT OF MADRAS.

PUBLIC WORKS DEPARTMENT.

Irrigation.
Account.

Read—the following papers:—

From J. C. LARMINIE, Esq., M.I.C.E., Superintending Engineer, I Circle, to the Chief Engineer for Irrigation, dated Dowlaishweram, 27th October 1896, No. 1589 G.D.

I have the honour to state that two of the current meters (Pilot's tubes) purchased by Colonel Smart, R.E., Superintending Engineer, are intended for use in the Gódávari divisions—*vide* correspondence noted in the margin.

G.O., No. 3230 W., dated 17th Dec. 1894.
" " 484 W., " 8th Feb. 1896.
" " 836 W., " 7th Mar. "
" " 420 I., " 13th May "

2. Colonel Smart, R.E., in the enclosed copy of his letter No. 585, dated the 19th September 1896, to the Executive Engineer, Gódávari Eastern division, states that the meters are in his use and cannot be spared.

3. The supply of electric current meter ordered in G.O., No. 532 I., dated the 24th June 1896, communicated with your memo. No. 1/72 G.D., dated the 3rd August 1896, is in addition to the two meters referred to above.

4. The remark against item 4 in the last unanswered reference list, that the current meters were received, is a mistake.

5. The value of three meters was debited to the Gódávari Eastern division—*vide* copy of the Gódávari Eastern Division officer's letter No. 2376, dated 3rd September 1896, to Colonel Smart, R.E., herewith enclosed, and, if the meters cannot be spared, the debit should not be made to this system.

Enclosures.

From A. G. ROMILLY, Esq., Executive Engineer, Gódávari Eastern Division, to the Superintending Engineer, on Special Duty, Cauvery Delta, Tanjore, dated 3rd September 1896, No. 2376.

In reference to your letter No. 536, dated 14th August 1896, I have the honour to state that the value of three Hydrotachy meters said to have been received from England for Gódávari delta system was debited to this division by the Tanjore Division officer, with the intimation that two are with you and one with the Superintending Engineer, IV Circle.

2. The Superintending Engineer, IV Circle, reports in his No. 314 M., dated 11th August 1896, that the one in his charge was handed over to you.

3. I have therefore the honour to request you will be good enough to let me know whether you can arrange to send to me the remaining meters as the one in your use cannot be spared till the end of the year as stated in your letter under reference.

From Lieutenant-Colonel A. W. SMART, R.E., Superintending Engineer, on Special Duty, Tanjore, to the Executive Engineer, Gódávari Eastern Division, dated 19th September 1896, No. 585.

With reference to your No 2376, dated 3rd September 1896, I have the honour to state that I am sending one of the smaller Pilot's tubes to the Executive Engineer, South Arcot division. I have with me one small one and one large which are in use and cannot be spared.

2. I do not know why the instruments were charged to the Gódávari.

Office-note to the Examiner, Public Works Accounts, dated Madras, 16th November 1896, No. 364.

The value of the current meters referred to by the Superintending Engineer, I Circle, is reported to have been debited to the Gódávari delta system though the meters are for the present being used in the Cauvery delta system and will eventually be used in other systems. Please say whether the debit to the former should be written back to the latter system, and when the meters are no longer required in the Cauvery delta system whether the charge should be transferred to those systems in which they will be subsequently used. This seems to be an inconvenient arrangement. Cannot the meters be brought on the list of tools and plant of the Gódávari delta system and sent to any other system which may require their use.

Office-note from the Examiner, Public Works Accounts, dated 20th November 1896, No. 4013 D./A.

[Your office-note No. 364, dated 16th November 1896.]

Please see Code, ii, iii, 121, according to which the cost of the current meters should be charged to the system on which they are used as Capital and Revenue accounts are kept for both the systems referred to, viz., Gódávari and Cauvery delta systems.

Order—No. 1048 I., dated 12th December 1896.

The value of the current meters referred to will be written back from the Gódávari to the Cauvery delta system. On their transfer to other systems their value will be written back to the systems concerned.

(True Extract.)

Under Secretary to Government,
Irrigation Branch.

To the Chief Engineer for Irrigation.
" Superintending Engineers of Circles.
" the Superintending Engineer, Special Duty, Cauvery Completion Estimates.
" the Examiner, Public Works Accounts.

Ed. J. Henriques.

PUBLIC WORKS DEPARTMENT,

IRRIGATION BRANCH.

PROCEEDINGS OF THE MADRAS GOVERNMENT.

UNDER date the

READ the following

From Supdg Engr. 1st Circle, No 1589 QD dy 27.10.96
Office Note C No 3864 dy 16.11.96
D° from C - 4013 D dy 20.11.96

The value of the current meters will be written back from the Godavari to the Cauvery delta system. On their transfer to other systems their value will be written back to the systems concerned.

3.9K
3.12.96

10/XII/96

24/11/96

WH
27/11

To The Chief Engr for I.
Supdg Engrs of Circles
Supdg Engr, Special duty,
Cauvery Completing estimates
E- D.W.S.

7/1/97

VCW 24/11

E. No. 27.
1,000—9-12-96.

KEEP-WITH CURRENT No. (GOVT. MADRAS.) 1896. (P. W. DEPT.

EXAMINER, P. W. ACCOUNTS,

dated 189 .

Madras, 20 November 1896.

OFFICE NOTE No. 4013 Dy.

10489

R 247

To

Same Case
Ofc 364 d/16.11.96
R 209 SD - 27.10.96

E.I.

Your Office Note No 364
dated 16th November 1896.

Please see code 11.111.121 according to which the cost of the current meters should be charged to the System on which they are used as Capital and Revenue accounts are kept for both the Systems referred to viz Godavari and Cauvery delta systems.

D.

19.11

20.11.96

E. I. Form No 1—1,000—27-11-95.

E. No. 27.
1,000—9-12-96.

KEEP-WITH CURRENT No.

dated 189 .

{ GOVT. MADRAS. } 1896. { P. W. DEPT.

EXAMINER, P. W. ACCOUNTS,

Madras, 20 November 1896.

OFFICE NOTE No. 1043 E/A.

10489

To R 247

Irrigation
Ofc 364 d/16.11.96
R 20952 - 27.10.96

E.I.

Your Office Note No 364
dated 16th November 1896.

Please see Code ii.iii.121 according to which the cost of the current meters should be charged to the System on which they are used as Capital and Revenue accounts are kept for both the Systems referred to viz Godavari and Cauvery delta systems.

O.
19.11

20/11/96

E. I. Form No 1—1,000—27-11-95.

E. I. Form No. 22—2,000—8-8-96.

KEEP-WITH.

No. , dated 189 .

GOVT. OF MADRAS. 1896. P. W. DEPT.

CHIEF ENGINEER FOR IRRIGATION.

Madras, 16th June 1896.

OFFICE NOTE No. 364

Circulation Register.

To	From	Despatch Date.	Receipt Date.
C	E.I.		

The values of the current meters referred to by the E.E. First Circle, is reported to have been debited to the Godavari Delta System though the meters are for the present being used in the Cauvery Delta System and will eventually be used in other systems. Please say whether the debit to the former should be written back to the latter system and when the meters are no longer required in the Cauvery Delta System. Whether the charge should be

be transferred to those Systems in which they will be subsequently used. This seems to be an inconvenient arrangement. Cannot the meters be brought on the list of tools & plant of the Godavari Delta System and sent to any other System which may require them use.

Sd/ J.G.P.
D.E.I

Drpd 16.11.96

Late Name
Rcpd 24/7/96.

Public Works (1896) Department.

CURRENT No. 11236

Order No. 1589 G.D. 20/96

From J.C. Lamming Esq.
Subg. Engr. Circle,
To The Chief Engineer
for Irrigation.
No. 1589 G.D.

Dated 27.10.96.
Received 5-11-96
Enclosures 2
Spare copies

SUBJECT.

Current meters — States that the Electric current Meters ordered in G.O. No. 532 dt. 24.6.96 is in addition to the two — purchased by Col. Smart R.E. Supg. Engr. for use in the Godavari Divisions

5.11.96

16.11

BACK PAPERS.

~~G.O.~~ Receipt	No.	Department.	Date.
R	367	I	7.7.96
I	72	G.D.	3.8.96
I	8-I		19.8.96
Issue	304		16 11 96
Receipt	247		20 11 96

FURTHER PAPERS.

G.O.	No.	Department.	Date.
R	o/c	247	20.11.96

Letter from A.G. Romilly Esq. Ex: Engr. Gad. Edn. to Lieut Col A.W. Smart R.E. Supdg. Engr. on special duty Cavery Delta Tanjore.
No. 2376 / 3.9.96.

In reference to your letter No 536 d/ 14th August/96, I have the honor to state that the value of 3 Hydrometry meters said to have been received from England for Gadavari Delta System was debited to this Division by the Tanjore Dn officer with the intimation that two are with you and one with the Supdg. Engr. 4th Circle.

2 The Supdg. Engr. 4th Circle reports in his No. 314/m d/ 11th August/96 that the one in his charge was handed over to you.

3. I have therefore the honor to request you will be good enough to let me know whether you can arrange to send to me the remaining meters as the one in your use cannot be spared till the end of the year as stated in your letter under reference.

1 Encl copy.

A.G. Romilly
Ex: Engr.
Gad Edn.

[illegible] 9/9

1/950

C

To

Dy. Sec. to Govt
11 Aug 96

1042 S.D

No 8.I.

Remarks on the list dated 10th July 1896 of references (irrigation) received in the ~~first~~ First circle up to 31st march 1896 and remaining unanswered on the 1st July 1896.

Item 3. (No $\frac{I}{724D}$ dated 26th october 1893).— With reference to this office memo: No. 10-I para 4 and No 6. I dated 26th october 1895 and 29 June 1896 respectively, the Supdg Engineer is requested to intimate when the report called for may be expected.

2. Item 4. (No 204 dated 13 april 1894). With reference to his remarks against this item, the Supdg Engineer should report when and from whom, the current meters were received by him.

3. Item 8. (No $\frac{I}{1194D}$ dated 18 nov. 1895). The Supdg Engineer's attention is directed to this office No $\frac{I}{764D}$ of 10 august 1896 and he is requested to state when the report will be submitted.

(Sd) J.J. wilson.
17/8/96.

Letter from Lt Col Jas Swan Sept 19
Sept 19 Engrs on Special duty San
to the Ex. Engr Sadaagi Eastern
Division No 585 dt 19th Sept 196

With reference to your No
2376 dt 3rd Sept 196 I have the honor
to state that I am sending one of the
Smaller Pitots tubes to the Ex. Engr
South Circle Division. I have
with me one small one and one large
which are in use and cannot be
spared.

2. I do not know why the instruments
were changed to Sadaagi

/ True Copy /

Ex. Engr
Sadaagi Eastern

Ex. Engr
12/10

12/10

No. 1589 G.D.

FROM

H.C. Larminie Esquire M.J.C.
SUPERINTENDING ENGINEER,

FIRST CIRCLE.

Enclosures. 2 TO

THE CHIEF ENGINEER

FOR IRRIGATION.

~~WALTAIR~~,
Camp Dhulkhamam 27. 10. 1896.

SIR,

I have the honour to state that two of the current meters (Pilot's tubes) purchased by Colonel Smart R.E, Supg Engineer are intended for use in the Godavari Division. Vide Correspondence noted in the Margin.

2 Col: Smart R.E in the enclosed Copy of his letter No: 585 dated the 19th Sept. '96 to the Executive Engineer, Godavari Eastern Div. states that the meters are in his use and cannot be spared.

3. The supply of electric current meter ordered in G.O. No: 532 I dated the 24th June '96 Communicated with your Memorandum No: I/72 G.D. dated the 3rd August 96 is in addition to the two meters referred to above

4

E. E. 1.
1 500—29-2-96.

FROM

SUPERINTENDING ENGINEER,
FIRST CIRCLE.

TO

THE CHIEF ENGINEER

vide your memo No. 15/ 14-6-96

FOR IRRIGATION
CHIEF ENGINEER
FOR IRRIGATION
5 NOV 96
189

DATED
DESPATCHED
RECEIVED

No.

ENCLOSURES.

SUBJECT.

4. The remark against item 4 in the last unanswered Reference list, that the Current meters were received, is a mistake.

5. The value of 3 meters was debited to the Godavari Eastern Division - vide Copy of the Godavari Eastern Division officer's letter No. 2376 dated 3.9.96 to Col: Smart R.E. herewith Enclosed and if the meters cannot be spared, the debit shall not be made to this system.

I have the honor to be,
Sir,
Your Most Obedt Servt

J Clarke
30/10 Supg Engineer 1st Circle