

Revenue (1897) Department.

ROUTINE SERIES.

G.O., No. 2216

DATED 1st Dec.

[Despatch Abstract.]

Petition from the villagers of
Elundukondam, Srinelliputtur Taluk,
Sivvelly St., praying that the
tanks in their village may be
supplied with the surplus water of
Kallangondam village, disposed
of under para 2 of C rules.

BACK PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

FURTHER PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

0 4,000-19-7-97.

Revenue (1894) Department.

CURRENT No. 10239

20/11
D-1/12

From

The Villagers of
Elundrukondam
Erivilipattur Taluk
Tinnevely Dist.
No.

Order No 2216 dt 1-12-97

Para II. of
C Petition Rules.

1/12-97

Dated

Received 26 Nov.

Registered 29

Enclosures

Spare copies.

The Petitioners des. 2-12-97

In para 7 of the Petition,

SUBJECT.

petitioners state
that they "appealed and
submitted several petitions
to the higher authorities". &c.
This statement is not supported
by any evidence.

Praying that the surplus
water of Kollangondam, a
neighbouring village, may
be ordered to be utilized to the
tank of the petitioners' village.

K.P.S.
25-11-97

BACK PAPERS.

G.O.	No.	Department.	Date.

FURTHER PAPERS.

G.O.	No.	Department.	Date.

PETITION

3933

REVENUE DEPT.

His Excellency the Governor
in Council
Fort St George
Madras
Most Honoured Sir.

We, the villagers of Eludrukondaw,
Sreevalliputtur Taluk,
Simevelly District most humbly
beg to state that:-

(1) Our Village, Eludrukondaw,
contains about 700 acres of
wet and 3000 acres dry land.
The total assessment is 5000.

(2) There is a large tank in
the village for the supply of
water for the wet fields of
700 acres. This is a first
class tank under the

A = Copy in full.
B = Not to be copied.
P = Copy abstract only.
Q = Copy heading only.

irrigation system. The tank if once filled up, would be sufficient for the year's supply.

(3) On account of non-supply of water to the tank during the last 20 years, there has been remission of Kist every year and the ryots having been unable to support themselves have almost fled away from the village. There has thus been⁽¹⁾ a clear loss of Rs 5000 to Govt and the loss to the ryots cannot be illustrated.

(4) There has been a long⁽²⁾ correspondence with the Collector Divisional Officers, and several engineers about the source of water supply to the tank, but no notice has yet been taken

on the matter. It was to allow as usual the waste waters of Kollangoudan, or neighbouring villages to fall into our tank.

(5) Several Officers, such as Messrs. Anantaram, the Divisional Officer, Sankar, the Tahsildar & Rakesh Babu Pillai, Engineers &c, inspected our village tank and came to a conclusion that the surplus water of Kollangoudan might, with advantage, be used to our village, by opening the old Canal, which had, several years ago, been in existence and that it did not interfere with the supply of water to the

other villages adjoining Kollau-
-goudaw. They reported also
that if this was not done
(c) the whole village would be
ruined.

(b) It was then ordered to
prepare an estimate by the
P. W. Department to open the
Canal so as to allow the
surplus water of Kollau-goudaw
fall into our tanks and
the estimate was accordingly
submitted.

Thereupon the Superintending
Engineer came for inspection
(c) of our village and halted at
some distance from the village
when, for some unknown reason,
gave us verbal orders that he
was not prepared to accept

the above proposal and
estimate for opening the
old Canal. Notwith-
standing our repeated
requests to inspect the
spot and the state of
our tank, we received (a)
negative reply.
(7) We subsequently appealed
and submitted several
petitions to the higher authori-
ties which, when referred
to the Divisional Officers and
Subsidiary for inspection and
report, have been supported
by the latter Officers agree-
ably to the proposals men-
tioned above and that if
they should not be carried out

