Revenue (1897) Department.

MISCELLANEOUS SERIES.

G.O., No. 2270

DATED 5th May

[Despatch Abstract.]

Sanctioning the estimate for certain
Irrigation works in the Wardha Dt.

BACK PAPERS.

G.O.	No.	Department.	Date.	G.O	No	Department	Date.

FURTHER PAPERS.

G.O	No.	Department.	Date.	G.O	No.	Department.	Date.
Fcno	4250/97	P. W. D.	11-5-97				

Revenue (1897) Department.

The Hon'ble Mr Grose C.S.I. **CURRENT No.** 3[illegible]

2 B 5/97

Order Min no. 2270 8/5th May '97.

JG 28/4/97

No estimates for the ~~amounts~~ items referred to in para 8 of the Board's Progs: are sanctioned.

27.4.97

From
The Board of Revenue
Revenue Settlement, Land Records and Agriculture
Madras

No. 1737 Miscellaneous

Dated 12th April, 1897.

Received

Registered

Enclosures

Spare copies

SUBJECT.

Minor Irrigation Works N. Arcot Dt. 1897-98

Sanctioning with remarks estimates for certain —— and submitting to Government for sanction estimates for certain other ——.

ps (26-4-97) ?

to

The Board of Rev. Sett. with enq.

~~Collector Asst Collector Deputy Collector~~

7-5-97

MS 26/4/97

C 27.4.97

MS

BACK PAPERS.

G.O.	No.	Department.	Date.
	397	9	2-3-97

FURTHER PAPERS.

G.O.	No.	Department.	Date.

(Sctt 24—2,000—29-10-96)

REVENUE BOARD OFFICE MADRAS.

Proceedings of the Board of Revenue

(Revenue Settlement, Land Records and Agriculture.)

Dated 12th April 1897.

No. 2737 Miscellaneous

READ ..... the following letter from the Collector of North Arcot, dated 16th February 1897, Reference on Current No 2209/Eng of 1896.

I have the honour to submit herewith an allotment application for the repair of Minor Irrigation Works during 1897-98 and to request that early sanction may be accorded in order that the works may be put in hand early in April.

2. The estimates for works which require Government sanction and for the work which has been recommended to be executed

executed by the D. P. W. are enclosed.

Read also the following endorsement thereon, dated 22nd March 1897, No 402-T, from the Chief Engineer for Irrigation. J. R. S.:—

Forwarded to the Secretary to the Commissioner of Revenue Settlement, Land Records and Agriculture with the following remarks:—

Arcot Taluk

The designs for new surplus works proposed in the case of items 1, 2, 4, 6, 7, 8, 10 and 11 may be sent to the Executive Engineer for approval.

Item No 1 Melapalaindai ~~tank~~ Tank

This work is not considered sufficiently important to warrant its transfer from the Revenue list to the P. W. D list.

Cudiyatam taluk

The designs for new masonry works proposed in the case of items 4, 5, 7, 8, 10, 12 and 13 may be sent to the Executive Engineer

Engineer for approval.

Wallajah taluk

Item No 1. Thangal Sekarajapuram Surplus channel

Sekarajapuram tank is one of the works included in Ponnai ancient eastern Minor Basin which has been investigated by P. R. Scheme. In the P. R. Scheme maps, the Sekarajahpuram tank is shewn to surplus into the Ponnai river and the surplus channel is of very short length. This surplus channel is not described in the P. R. S. estimate + report to have any cultivation under it. It is not understood if what is called "surplus channel" in Collector's list is an off-take from the Ponnai since irrigating lands in Thangal and Sekarajapuram villages. It is requested that a sketch of the so called "surplus" "channel" showing its position with reference to Thangal and

and Sekarajapuram villages, may be sent to this office, with the designs for the proposed masonry works.

The designs for the new weirs proposed for items 2 and 3 and those for the 4 aqueducts proposed to be built across Samal channel, item No 11 may be sent to the Executive Engineer for approval.

Chandragiri taluk.

The plan and estimate for masonry dam, costing Rs 1250, proposed across Chintala-Vanka in Samal Cherruvu village (item No 7) which is proposed to be entrusted to the D.P.W. for execution may be sent to the Executive Engineer for approval.

Chittoor taluk

The designs for the masonry dam across Iruvaram tank supply channel item No 8, may be sent to the Executive Engineer for approval.

Polur taluk

The designs for extension of Calingulah and for proposed new Calingulah in the case of items 3 and 13 respectively may be sent to the Executive Engineer for approval.

2. The other items may be passed.

Resolution

The estimates amounting to Rs 23126 for all the works entered in the list received with the Collector's letter read above, except those noted in the margin, are sanctioned

2. The Collector should forward to the Executive Engineer for approval the designs for the works referred to in the Chief Engineer's note read above. In regard to work No 1 in the Wallajah taluk, the Collector is requested to prepare and send to the Chief Engineer for Irrigation a sketch of the surplus channel

* Items 2, 4, 5, 7, 8, 10 & 11 of Arcot
- 4, 6, 7 & 13 of Gudiyattam
- 3 of Vellore
- 1, 5, 7 & 11 of Wallajah
- 1, 5 & 7 of Chandragiri
- 1 & 3 of Chittoor
- 3 & 13 of Polur

channel furnishing the particulars called for by him, together with the sketches for the proposed masonry works.

3. The Collector should consider and report whether it will not suffice to provide works, No 6 of Arcot, No 10 of Wallajah, and No 11 of Mandiwash which irrigate only 10.37, 10 and 11 acres respectively, with earthenware pipe sluices in lieu of the masonry ones proposed at a cost of Rs 96-11-0, Rs 176-9-8 and Rs 152 respectively.

4. In columns 16 and 17 of the list against item 11 of Chittoor taluk, it is stated that about 20 acres are left waste every year, as the channel does not receive a sufficient quantity of water, and yet the estimated area and the revenue expected after repairs are returned as acres 38 and Rs 225 or 1 acre and ½ Rs only in excess of the figures entered as the present area and revenue thereon. The Collector will be requested to report whether

whether the proposed repairs will not bring all the 20 acres into cultivation, and whether the figures entered in columns 5 and 8 as the total irrigable ayacut and the assessment on the total irrigable ayacut are correct.

5. The Collector is requested to report why the tank No 3 in the Polur taluk which irrigates more than 200 acres is in charge of the Revenue department.

6. The Chief Engineer for Irrigation will be requested to report whether the repairs proposed to the works noted in the margin, will fall under either rule 1 or 2 of the rules printed in G.O. dated 22nd May 1893, No 329 I, or whether they require the sanction of Government under rule 3.

Flag A

Items 3 of Vellore taluk
Items 12 & 13 of Gudiyattam taluk

7. The Collector will be requested to send detailed estimates for items No 4 of Wallajah and No 4 of Chandragiri which relate to silt clearance in lieu of the sanction of Government being obtained therefor

therefor under rule 3 of the rules printed in the G.O. referred to in the preceding paragraph.

8. The estimates for items 9 and 11 of Gudiyattam, 5 & 7 of Wallajah, 1, 2 & 3 of Chandragiri and 1 of Chittoor taluk are submitted to Government for sanction with reference to rule 3 of the rules printed in G.O. dated 2nd May 1893, No. 3998.

(True copy and Extract)

R. V. Srinivasan
Secretary.

To the Collector of N. Arcot
with one enclosure estimate item
7 of Chandragiri.
To the Secretary to Government
Revenue Department.
with enclosures.
The Chief Engineer for Irrigation
with an extract of allotment
application for items referred
to in para 6.

When given, or copying ——
When copied ——
When examined ——
When signed ——
} 189.

READ AGAIN G.O., No 189, DATED

CURRENT No.

ENCLOSURES TO C. No.

ORDER OF GOVERNMENT	A	A	A	A	A	A	A	
LETTER OF GOVERNMENT.								
STATEMENT WITH DITTO.								
PAPERS NOT FILED UP, BEING MEANT FOR DESPATCH IN ORIGINAL.								

N.B.—
A = Copy in full.
B = Not to be copied.
P = Copy abstract only.
Q = Copy heading only