

Revenue (1897) Department.

MISCELLANEOUS SERIES.

G.O., No. 2970

DATED 11th June

[Despatch Abstract.]

Comm^d to the M^r of Rev. P^{ro}vis. P. W. D. on the
subject of the abandonment of the Allamhonda
Tank Project.

BACK PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.


FURTHER PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

Revenue (1897) Department.

CURRENT No. 4810

From the Public Works Dept.



Order No. 2970 of 11th June '97

Communicated to the
Board of Revenue in continuation
of Cons. 2563
18-5-97

No. 15236

Dated 2.6.97

Received 7.6.97

Registered 4.6.97

Enclosures

Spare copies

SUBJECT.

Alaukonda Tank
Communicating Office note from
the Chief Engineer forwarding a copy of his memo
to the Supt. Engineer III circle on
the subject of abandonment
of the ———.

Let
to

the Board of Rev. Ltr. No. 16-6-97

RS
11-6-97

BACK PAPERS.

G.O.	No.	Department.	Date.

FURTHER PAPERS.

G.O.	No.	Department.	Date.

P. H. DEPARTMENT.

PROCEEDINGS OF THE MADRAS GOVERNMENT.

READ the following.

Office Note from the Joint Secretary to Government P.W.D., Irrigation Branch, dated 20th May 1897:-

With reference to G.O. No. 1247 W dated 17th May 1897, a copy of Memo No. 12 K.R., dated 5th idem to the Superintending Engineer III Circle, which was issued on receipt of his recommendation for the abandonment of the Alamkonda tank Project is herewith sent for your information.

Enclosure.

Memorandum from the Chief Engineer for Irrigation, No. 12 K.R., dated 5th May 1897:-

His No. 625 I dated 10th April 1897.

It is presumed that a fairly good idea can be obtained from existing works of the area that can be irrigated per square mile of catchment having regard to the nature of the country and other circumstances which influence the run-off. It is suggested to the Superintending Engineer that before abandoning the Alamkonda Project, which though not in any case likely to be a financial success may perhaps be useful as a famine relief work, he should have the estimate revised reducing the capacity of the tank to the quantity required for the area which it is anticipated may be irrigated. If this area be taken at 100 acres the required capacity of the tank might be taken as 22 millions cubic feet.

Order thereon No. 1523 W 24. 6. 97

Communicated to the Revenue Department in continuation of G.O. No. 1247 W dated 13th May 1897.

(True Extract)

for Secretary to Government.

[P.W. 40. 1,500-13-4-07/1] Revenue Department.

E. M. M.