

Revenue (1897) Department.

MISCELLANEOUS SERIES.

G.O., No. 4034

DATED 3^d aug.

[Despatch Abstract.]

Agreeing with the Board of Revenue in
Considering that the use of Govt water
may be allowed free of charge for the
Koidwulochs' Park at Borpet, but accept-
ing the Col proposal of the Collector of
Bellary to bear the cost of the masonry
wall recommended by the Executive
Engineers.

BACK PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

FURTHER PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

Revenue (1897) Department.

CURRENT No. 5862



3/8.

From The Board of Revenue
Revenue Settlement
Land Record and
Agriculture.
No. 4974. Mis

Read ten to 5862
Order No. 4034 Mis. d/3rd Aug. 1897.

The Govt agrees with the Board
that the use of Govt walls may
be allowed free of charge but
accepts the collection proposed
to bear the cost of the masonry
wall recommended by the En-
gineer [2] the right
to withdraw the concession
in case the requirements
of cultivation are require. or
in the event of the park
ceasing to exist as a place
of public resort, is reserved

Dated 6th July 1897.
Received 12-7-97
Registered 13-7-97
Enclosures
Spare copies

SUBJECT.

Submitting to Government
Board's proposals regard-
ing supply of water
free of charge to
Lord Wenlock's park
at Hooper, Bakery
District.

3/8/87
To the Bd of Rev. (R & R & A)
D.O. 7-8-97
m/19

BACK PAPERS.

G.O.	No.	Department.	Date.

FURTHER PAPERS.

G.O.	No.	Department.	Date.

Re. Supply of water to Lord Wenlock's
Park at Hospet. Read again Exo. ¹²⁸⁰
6.3.97
Cno. 5862 of 1897

The Hon^{ble} Mr J. G. G. C. I. E.
His Excellency the Governor.

For orders.

In an address presented to H. E. the Governor on his second tour, the members of Lord Wenlock's Park at Hospet requested that the use of water for the benefit of the Park might be allowed free of charge, and His Excellency said in reply that if possible, it would give him great pleasure to grant their prayer. The Board of Revenue to which the matter was referred for consideration in the order read above now submits with its remarks the reports received from the Executive Engineer, the Head Assistant Collector and the Collector, on the subject. It appears that water is already being taken to the Park by means of an open cut in a Govt channel and that it is used for filling an ornamental pond.

Pages 186 & 187 in the
addresses & replies
marked with red tape

See
Please see
docket for draft
G.O.

c 26/1/97
24/9/97

pond and ^{for} watering the plants
in the Park. The Executive
Engineer says that as the
pond would absorb by
percolation and evapora-
tion a considerable supply
when the Channel is low,
the present Cut should be
Closed by a masonry wall
with its Crest one foot be-
low the full supply level,
so that no water may pass
into the Park when the water
in the Channel falls be-
low the level of the Crest.
The Collector sees no objection
to allow water free of
Charge under this arrange-
ment, ^{and} ~~but~~ thinks that the
Cost of the masonry wall
which is estimated at 20, or
30 Rs should be borne by
Govt. The Board however
is of opinion that the Cost
should be met by the Sub.
& Cribers to the Park. As
regards the water required
for watering the plants
all the Authorities agree.
in considering that it may
be

and would further reserve power to with-
draw the Concession whenever the
requirements of cultivation leave
no water to spare,

I think Govt. should think the
work, & allow the concession
so long as the Park continues
in existence & is a place
of public resort.

28
27/7/97

I concur. Possibly it might be prudent for
Govt. to reserve the right to withdraw the
water. The right may never be exercised,
but its reservation will provide the
possibility of disputes as to the use of the
water.

A. 44
31.7.97

be allowed to be baled from
the channels by means of a
percolator, at all seasons, free
of charge.

It is thought that the Board's
view may be concurred in and
that the arrangement under
which it is proposed to allow
a supply of water free, to the
Park may be approved.

22/7. For order. The park is a
public place & it is submitted
that it would be a little matter
and a peaceful act
for Govt. to spend Rs 20 or 30 Rs.
required. In other respects it is
submitted that the Board's
recommendation may be accepted.

23/7/97
23.7.97

No. 3067 B.

From.

H. E. Clerk Esq.

Executive Engineer
Beltway Division

To.

The Head Assistant Collector

Station

Camp. Beltway.

Dated } April 1897
Received }

Reference.

Yours
Order No. dated 189

Sir,

With reference to your endorsement Ref on C no. ⁹⁴²_{15.4.97} returned herewith I have the honor to inform you that I have inspected the Victoria Park and I find that water from the channel is already being taken to the park by an open cut in the channel, this cut was made I am informed by the permission of my predecessor.

The

The pieces of ornamental
beats (or what will eventually be
ornamental) would absorb by
percolation and evaporation a
considerable supply when the
channel is low and I consider
that it should only be filled
when there is plenty of water
in the channel.

The present cut should
therefore be closed by a
masonry wall with its crest in fact?
below F. S. L. in the channel
when water level in the channel
falls below the level of the crest
of this work the plants may
be watered by a *perottah* —
working directly from the
channel.

The question as to who
is to pay for the masonry work
at the head is one which I leave
to Government to decide; it will
probably cost about Rs 20 to
Rs 30 and should be built by
this Department

Government

Government should reserve
to itself the right of temporarily stopping
the supply to the garden if
necessary in the interests of
cultivation lower down the
channel.

I have the honor to be
Sir

Your most obedient servant

[Signed] —

For Executive Engineer

(True Copy)

(Signed) —

For Collector

(True Copy)

R. B. Srinivasan
Secretary.

Ed. M.
10-7-97

Dis No 897.

Bellary Head Assistant Collector
Office dated 11th May 1897.

From.

C. G. Spencer Esq
Jy Head Assistant Collector
of Bellary.

To.

The Collector of
Bellary.

Sir,

With reference to your No
Reference on G and B. 584 of 97 I
20.3.97.
have the honor to forward a
letter from the Executive Engineer
on the subject of supplying
water free of water rate to
Lord Wellocks Park at Hospet.

2. He states that water is
already being taken by an
open cut in the channel to
the park.

3. In my opinion it seems
reasonable that Government
should resume to itself the
right of stopping the supply to

the

$$\xi_{10} = \frac{V_{DC}}{10 \cdot 7 \cdot 97}$$

Coastguarding

Constructing a masonry wall in the open cut now made in the channel bank for watering the garden, should in the interests of other fields irrigated by the channel water, be borne by Government otherwise water will be wasted as the open cut in the bank will become wider and wider year after year.

Resolution.

The report read aloud received from the collector of Bellary, regarding the grant of Government water, free of charge, for Lord Venlock's Park at Hospet, will be submitted to Government with reference to para 2 of Government Order no. 1280 M.S. Revenue, dated 6th March 1897.

2. The Board gathers that water from the Government Channel is used to fill an ornamental pond, and

and to water the plants in the park.

3. For the latter purpose, the Executive Engineer and the collector are agreed that haling from the channel by a picotah may be allowed at all seasons free of charge.

4. To fill the ornamental pond, the Executive Engineer represents that water cannot be spared. When the water in the channel is one foot or more below full-supply level. He therefore recommends that his department should be directed to construct a masonry wall in the channel bank at such a height that no water will pass over its crest into the pond when the water in the channel is more than one foot ^{below} full-supply level.

5. The collector supports this recommendation, and suggests that the cost of the masonry wall

wall (about Rs 30) should
be borne by Government.

The Board is of opinion
that its cost should be borne
by the subscribers to the Park.
It has no objection to the
Government water being supplied
free of charge under the arrange-
ment recommended, and subject
to the further condition that
the concession may be with-
drawn whenever the requirements
of Cultivation leave no water
to spare.

(True Copy and Extract)

R. J. Srinivasan
Secretary

To.

The Secretary to Government
Revenue Department
with copies of correspondence
Copy to the Collector of
Behar

Es. M.C.
10-7-97

When given for copying _____
When copied _____
When examined _____
When signed _____

189

READ AGAIN G.O., No.
189

DATED

CURRENT NO.

ENCLOSURES TO G. No.

ORDER OF GOVERNMENT

A A A A A A A

LETTER OF GOVERNMENT.

STATEMENT WITH ITTO.

PAPERS NOT FILED UP, BEING MEANT FOR DESPATCH
IN ORIGINAL.

H.B.-

A = Copy in full.
B = Not to be copied.
P = Copy abstract only.
Q = Copy heading only