

Revenue (1898) Department.

MISCELLANEOUS SERIES.

G.O., No. 2510 .

DATED 14th June

[Despatch Abstract.]

Reverend B.P. issuing season
report for W. E. 4th June 1898.

BACK PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

FURTHER PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

Revenue (1898) Department.

CURRENT No. 4089



From the Board of Revenue
Revenue Settlement, Land Record
and Agriculture,
Madras

Order No. 2510 of 14th June 98.

Recorded.

No. 198 Press

Dated. 7th June 1898

Received 10

Registered 10

Enclosures

Spare copies

SUBJECT.

Season Report.

Issuing — for the
week ending 4th June 1898

BACK PAPERS.

G.O.	No.	Department.	Date.

FURTHER PAPERS.

G.O.	No.	Department.	Date.

Abstract of Season Reports FOR THE WEEK ENDING 4TH JUNE 1898.

RAINFALL AND PRICES OF THE STAPLE FOOD-GRAINS.

Districts.	RAINFALL IN INCHES.			PRICES IN SEERS (OF 80 TOLAS) PER RUPEE.											
	In the week.	Up to the end of the week from 1st April.		Rice.			Ragi.			Uholam.			Cumbu.		
		1898-99.	Average of 25 years.	Average for May.*	Last week.	This week.	Average for May.*	Last week.	This week.	Average for May.*	Last week.	This week.	Average for May.*	Last week.	This week.
<i>Coorgs.</i>															
Ganjam ..	0.8	3.1	4.3	17.5	13.0	12.9	28.4	14.5	14.8	..	..	..	..	..	..
Vizaga- patam { A	1.2	4.4	5.5	15.0	12.4	12.3	27.1	17.9	17.9	..	18.6	18.5	28.2	19.1	19.1
Godavari ..	1.3	3.8	4.2	15.1	10.4	10.5	27.6	16.6	16.6	26.4	17.6	17.6	26.4	18.7	18.6
Kistna ..	0.5	1.7	2.5	14.5	10.3	10.3	28.7	16.8	17.2	22.1	14.4	14.4	22.0	12.9	12.4
<i>Deccan.</i>	0.7	1.8	2.2												
Kurnool ..	0.6	2.2	2.2	12.7	9.7	9.3	28.2	19.5	20.0	27.3	20.4	20.6	22.9	14.4	14.1
Belary ..	1.0	4.2	3.1	12.4	9.5	9.6	34.5	22.5	22.5	27.4	20.8	20.6	..	..	..
Anantapur.	1.2	3.2	3.4	14.0	10.1	10.1	33.1	20.2	20.1	30.3	19.8	19.6	26.0	17.8	17.8
Cuddapah ..	1.0	3.9	2.8	14.1	9.9	9.8	32.0	20.1	20.1	28.5	18.8	18.8	28.2	16.4	16.4
<i>Uarnata.</i>															
Nellore ..	1.9	2.5	1.9	14.1	9.0	9.1	27.9	15.2	15.3	24.8	14.2	14.2	22.2	12.5	12.6
Chingleput.	1.6	2.1	2.3	14.9	9.3	9.2	25.2	14.7	14.8	..	..	..	..	..	..
Madras ..	1.8	1.8	3.1	12.5	9.0	9.0	24.9	15.8	15.8	..	..	..	..	..	..
South Arcot.	0.6	2.7	3.8	14.9	10.1	10.2	26.6	15.9	15.5	..	..	..	25.6	15.8	15.6
<i>Central.</i>															
North Arcot.	1.7	4.3	4.2	15.0	10.2	10.2	29.6	17.2	17.4	25.6	15.9	15.9	25.1	14.4	14.4
Batem ..	0.5	6.1	6.4	13.7	9.8	9.8	29.8	17.0	17.1	25.6	15.6	16.4	24.3	15.7	15.7
Coimbatore.	0.5	5.8	6.1	13.2	9.8	9.8	27.0	18.4	18.4	21.9	15.5	15.5	24.7	17.5	17.5
Trichinopoly.	0.3	5.3	5.6	14.2	9.5	9.4	26.5	15.5	15.5	32.6	16.4	17.1	24.2	14.5	14.7
<i>South.</i>															
Tanjore ..	0.4	3.0	4.0	14.5	10.5	10.3	26.1	16.5	16.1	..	..	..	..	..	..
Pudukkottai.	..	3.4	..	..	9.1	9.0	..	17.0	17.0	..	19.1	19.4	..	18.0	18.0
Madura ..	1.1	5.9	4.6	14.4	10.2	10.1	27.9	15.6	15.6	30.0	19.3	18.1	26.3	14.5	14.5
Tinnevely.	0.2	3.4	3.7	13.1	10.1	10.2	24.3	13.9	13.9	23.5	14.7	14.6	20.5	12.6	12.8
Nilgiris ..	1.4	8.2	10.7	10.7	7.7	7.7	20.8	15.5	15.5	..	..	..	..	..	..
<i>West Coast.</i>															
Malabar ..	1.7	11.0	15.5	12.6	9.5	9.4	..	..	..	..	..	..	..	..	..
South Canara.	2.8	7.4	11.5	13.6	11.2	11.1	..	..	..	..	..	..	..	..	..
Travancore.	1.8	10.8	20.1	..	7.9	7.9	..	..	..	..	..	..	..	..	..

A. Agency, L. Littoral, tracts.

* Average for ten normal years previous to fasli 1305 (1895-96).
† Includes an inferior variety.

DISTRICT REPORTS.

GANJAM.

Water-supply sufficient. Sugarcane, gingelly and ragi being sown in places. Summer paddy and ragi thriving in parts. Pasture available; fodder sufficient. Condition of cattle generally normal.

VIZAGAPATAM.

* Water-supply generally sufficient. Gingelly, ragi and cumbu sown in some taluks. Standing crops good. Pasture available; fodder sufficient. Condition of cattle normal. Exports by sea 362 maunds. Emigrants to Rangoon 105.

GODAVARI.

Water-supply generally sufficient. Godavari 4.1 feet over upper sill of Dowlaishweram lock. Ploughing, manuring and transplanting in progress. Standing crops generally good. Harvested second-crop paddy, outturn bad to fair; sugarcane and tobacco, fair; cotton, middling; gingelly and ragi, middling to fair. Fodder sufficient; but pasture scanty in parts. Condition of cattle generally normal. Season favourable. Cocanada—exports rice 6,302, paddy 1,917; imports rice 10,359 and paddy 198 bags of 164 pounds.

KISTNA.

Water-supply generally sufficient. Kistna eleven inches below anikat crest. Ploughing, manuring and raising seedlings in progress. Dry crops in Vinukonda good. Harvested paddy, cumbu, korra, green-gram, chillies; outturn middling to average; cholam, variga, indigo and tobacco, middling to fair. Pasture scarce in parts; fodder generally available. Condition of cattle generally normal. Season and prospects generally favourable.

KURNOOL.

Water-supply insufficient for irrigation. No supply to canal. Ploughing in parts. Standing crops good. Harvested paddy in Koilkunt'a; outturn middling. Pasture almost nil; fodder sufficient. Condition of cattle normal. Prospects moderate.

BELLARY.

Water-supply insufficient for irrigation in parts of Adoni, Alur and Hadagalli. Ploughing general. Sowing in parts. Paddy and sugarcane under tanks and channels good. Harvested paddy, yield fair. Pasture available in parts; fodder sufficient. Cattle healthy.

ANANTAPUR.

Water-supply insufficient for irrigation. Preparing dry lands for early crops. Transplanting ragi in parts. Standing wet crops fair. Harvested paddy; outturn poor to average. Pasture scarce; fodder sufficient. Condition of cattle normal. Prospects hopeful.

CUDDAPAH.

Wells contain sufficient supplies generally. Ploughing, baling, sowing and harvesting in progress. Standing crops fair. Paddy, gingelly, cholam and cumbu harvested; outturn middling to fair. Pasture scanty; fodder available.

NELLORE.

Water-supply scanty throughout, though some of the tanks received supplies from 15 to 45 days from the rainfall in the week. No flow over the Nellore and Sangam anikats. Ploughing and sowing for dry crops in parts. Standing crops generally thriving. Harvested paddy and cumbu; outturn middling; ragi and tobacco fair, chillies middling to fair. Pasture nil; but springing up in parts after recent rainfall; fodder insufficient and dear. Condition of cattle continues indifferent in Udayagiri and Kanigiri, elsewhere generally normal. Rainfall in the week has slightly improved matters. Slight freshes in almost all rivers.

CHINGLEPUT.

Water-supply insufficient for irrigation and in parts for drinking also. Ploughing, sowing, transplanting, weeding and baling continue in parts. Standing crops fair. Harvested paddy and ragi; outturn middling to fair. Pasture scanty; fodder generally available. Condition of cattle normal.

MADRAS.

Water-supply and fodder sufficient; pasture scarce. Imports by sea—rice 1,807 tons; other grains 530 tons.

SOUTH ARCOT.

Recent rainfall brought some supply to some of the tanks. Harvesting coming to a close. Ploughing, manuring, sowing, baling and transplanting in progress. Standing crops generally fair under wells, but fading in parts for want of more rain. Harvested paddy, cholam, gingelly and indigo; outturn middling to fair. Pasture generally scanty; fodder generally sufficient and available. Condition of cattle normal. Deaths from cholera 83. Prospects continue fair.

NORTH ARCOT.

Water-supply for irrigation generally insufficient. Small supply received from recent rains. Ploughing, sowing, transplanting and baling continue. Standing crops generally fair. Harvested paddy and cholam; outturn middling to fair. Pasture scanty; fodder available but dear. Condition of cattle generally normal. Prospects generally fair, but more rain wanted.

SALEM.

Water-supply short in parts. Ploughing, sowing, transplanting and manuring continue. Standing crops generally fair under irrigation sources containing water. Harvested paddy, ragi, cholam, sugarcane and castor; outturn generally middling to average. Pasture insufficient in parts; but fodder available. Condition of cattle generally normal. Prospects continue fair.

COIMBATORE.

Water-supply for irrigation generally sufficient. Sowing continues. Standing crops generally good. Harvested paddy, outturn average; cholam and cumbu, middling. Pasture generally scanty; fodder available but dear. Condition of cattle generally normal.

TRICHINOPOLY.

Water-supply for irrigation insufficient in parts. Ploughing, sowing and transplanting in progress. Standing crops fair. Harvested paddy; outturn fair to average; cholam and gingelly middling to average. Pasture scanty and fodder sufficient. Condition of cattle normal. Prospects fair.

TANJORE.

Water-supply insufficient in parts outside delta. Ploughing, manuring and sowing in parts. Standing dry and garden crops generally fair. Harvests nil. Pasture scanty in parts, fodder sufficient. Condition of cattle generally good. Prospects generally fair; want of rain much felt in the southern parts of Pattukkottai taluk.

PUDUKKOTTAI.

Water-supply insufficient for irrigation and in parts for drinking also. Ploughing, sowing, manuring, transplanting and garden cultivation under wells progressing. Standing crops good under wells. Harvested cholam; outturn average. Pasture scanty or nil; fodder sufficient. Condition of cattle normal.

MADURA.

Water-supply insufficient for irrigation in parts. Tanks in parts have received two months' supply. Cultivation going on under wells and tanks. Standing crops fair. Harvested paddy, cumbu and cholam; outturn of paddy poor, rest fair. Pasture scanty, but improving in places; fodder available. Condition of cattle generally normal.

TINNEVELLY.

Water-supply insufficient for irrigation in parts. No flow over the Srivaikuntam anikat. Supply sufficient for standing crops under anikat system. Ploughing, sowing and transplanting in progress. Standing crops in parts require rain; paddy withered in parts of Srivilliputtur. Harvested paddy and cholam; outturn bad to fair. Cotton and gingelly bad to middling. Pasture scanty and fodder dear in parts. Condition of cattle normal.

NILGIRIS.

Water-supply sufficient. Ploughing and sowing in progress. Standing crops good. Harvest nil. Pasture and fodder sufficient in Ootacamund and scanty elsewhere. Condition of cattle normal.

MALABAR.

Water-supply sufficient. Sowing for first crop nearly completed; transplantation progressing. More rain wanted in parts. Standing crop thriving generally. Pasture improving, fodder available. Condition of cattle generally normal. Prospects fair.

SOUTH CANARA.

Water-supply insufficient for irrigation. Ploughing and sowing for first paddy crop progressing. Seedlings generally fair. Harvest of third paddy crop completed. Pasture improving but insufficient; fodder sufficient. Condition of cattle normal.

TRAVANCORE.

Ploughing over. Water-supply and pasturage sufficient. Condition of cattle normal.

SEASON TELEGRAM TO THE GOVERNMENT OF INDIA, REVENUE AND AGRICULTURAL DEPARTMENT, SIMLA.

Week ending 4th June 1898.—Rainfall general; average one inch and over in all districts except Ganjam, Godavari, Kistna, Kurnool, South Arcot, Salem, Coimbatore, Trichinopoly, Tanjore and Tinnevely in which there were local thunderstorms and showers with fall over one inch at 34 stations. Water-supply improved in parts, but still insufficient. Ploughing and sowing in parts. Standing crops fair. Harvesting under wells continues; outturn middling. Pasture scanty, but improving after recent rains; fodder available, but dear in parts. Prospects fair, but more rain wanted in parts. Prices almost stationary except South Arcot, Tanjore and West Coast where there was a slight rise. Numbers on relief in Nellore—Workers—372 men, 539 women, 265 children, total 1,176. Fed in kitchens—dependants—1 woman, 22 children, total 23. Grand total on relief 1,199. Loans disbursed in Nellore, Rs. 345.

Comparative statement showing the number of persons relieved in the Nellore district for the week ending 4th June 1898.

Nature of relief.						This week.	Last week.
Relief-workers	Men	..	..	..	..	372	803
	Women	..	..	..	..	539	437
	Children	..	..	..	..	265	217
Total ..						1,176	957
1. Dependents. {	Men	..	..	..	..	1	3
	Women	..	..	..	..	22	24
	Children	..	..	..	..	..	..
Total ..						23	27
A. In kitchens ..	Men	..	..	..	..	..	..
	Women	..	..	..	..	..	..
	Children	..	..	..	..	..	..
Total ..						..	..
3. Others ..	Men	..	..	..	..	..	..
	Women	..	..	..	..	..	..
	Children	..	..	..	..	..	..
Total ..						..	..
B. Otherwise ..	Men	..	..	..	..	..	..
	Women	..	..	..	..	..	..
	Children	..	..	..	..	..	..
Total ..						..	..
Grand Total ..						23	27
Grand Total on relief ..						1,199	984

OFFICE OF THE BOARD OF REVENUE
(REV. SETT., LAND RECORDS AND AGRI.),
7th June 1898.

R. S. Srinivasan
Secretary.

Statement showing the quantity of rainfall at the several authorized rain registering stations of the Madras Presidency during the week ending the 11th June 1898.

Stations at which tested rain-gauges are kept.	Quantity of rainfall in inches.	Stations at which tested rain-gauges are kept.	Quantity of rainfall in inches.
GANJAM.		VIZAGAPATAM—cont.	
1 Balliguda	1.66	LITORAL.	
2 Russellkonda	no rpt.	1 Párvatipur	1.76
3 Surada	0.90	2 Pálkonda	0.20
4 Aska	0.48	3 Bobbili	1.80
5 Udayagiri	no rpt.	4 Sálúr	3.40
6 Ramagiri	..	5 Gajopatinagar	3.72
7 Parlákimedi	0.47	6 Chápurupalli	0.30
8 Rambah	0.55	7 Kuppili	..
9 Purushottapur	no rpt.	8 Vijayanagram	0.56
10 Chatrapur	1.21	9 Srungavarapukóta	2.87
11 Gopálpur	0.61	10 Bimilipatam	1.46
12 Berhampur	0.64	11 Konada	0.26
13 Ichápur	0.83	12 Waltair	0.95
14 Sómpeť	1.16	13 Chódavaram	1.58
15 Púndi	1.42	14 Anakápalle	0.95
16 Tekkali	2.11	15 Balacheruvu	1.65
17 Narsannapet	0.32	16 Polavaram	0.43
18 Čalingapatam	0.30	17 Yellamanchili	0.63
19 Chicacole	..	18 Narasapatnam	1.54
Total ..	13.73	Total ..	23.78
Average ..	0.81	Average ..	1.33
VIZAGAPATAM.		GODAVARI.	
AGENCY TRACTS.		..	
1 Nowrangapur	..	1 Bhadrachalam	1.35
2 Jéypore	..	2 Chodavaram	0.34
3 Karaput	..	3 Yellavaram	..
4 Malkanagiri	1.35	4 Tuni	1.62
5 Bissemcuttack	0.90	5 Pittapuram	0.12
6 Gunupur	0.20	6 Prattipadu	1.11
7 Royaghada	1.38	7 Peddapuram	0.53
8 Pottanghi	3.20	8 Rajahmundry	1.09
9 Padwa	3.34	9 Cocanada	..
Total ..	10.37	10 Coringa	..
Average ..	1.15		

* With reference to the number of stations for which reports were received.

Statement showing the quantity of rainfall at the several authorised rain-registering stations, &c.—continued.

Stations at which tested rain-gauges are kept.			Quantity of rainfall in inches	Stations at which tested rain-gauges are kept.			Quantity of rainfall in inches.
GODAVARI—cont.				KURNOOL—cont.			
11	Alamur		0.92	5	Owk		0.96
12	Ramachandrapuram		0.09	6	Kalwa		0.33
13	Kottapeta		0.29	7	Nandyál		0.48
14	Amalapuram		.	8	Atmakur		0.19
15	Razole		.	9	Nandikótkur		.
16	Narsapuram		0.12	10	Kurnool		0.01
17	Bhimavaram		0.05	11	Pattikonda		0.56
18	Pentapad		0.52	12	Piyápalí		1.50
19	Tanuku		0.08	Total			6.97
20	Chintalapudi		0.47	* Average			0.58
21	Ellore		0.60	BELLARY.			
22	Polavaram		2.35	1	Yemmiganur		0.30
23	Tallapudi		0.84	2	Adóni		0.98
Total			12.57	3	Alúr		1.81
* Average			0.52	4	Sirugappa		0.80
KISTNA.				5	Bellary		1.19
1	Tiruvur		0.48	6	Báyadrug		0.60
2	Nandigáma		0.32	7	Kampili		0.30
3	Bezváda		0.24	8	Hospet		0.45
4	Gannavaram		0.02	9	Hadagalli		1.40
5	Gudiváda		1.16	10	Harpanahalli		1.97
6	Masulipatam		0.17	11	Kúdligi		1.65
7	Guntúr		0.71	Total			11.45
8	Sattenapalle		0.55	* Average			1.04
9	Guizala		0.65	ANANTAPUR.			
10	Vinukonda		1.09	1	Uravakonda		1.50
11	Narsaraopet		1.20	2	Gooty		0.36
12	Bápatla		0.17	3	Yadaki		1.36
13	Tenali		1.48	4	Tadpatri		0.66
14	Répalle		0.52	5	Anantapur		0.52
Total			12.00	6	Kályandrúg		2.09
* Average			0.67	7	Dharmavaram		1.53
KURNOOL.				8	Penukonda		0.56
1	Markapur		0.70	9	Hindupur		1.12
2	Giddalore		0.42	10	Madakasíra		2.65
3	Allágada		0.72	Total			12.37
4	Koilkuntla		1.10	* Average			1.24

* With reference to the number of stations for which reports were received.

Statement showing the quantity of rainfall at the several authorised rain-registering stations, &c.—continued.

Stations at which tested rain-gauges are kept.			Quantity of rainfall in inches.	Stations at which tested rain-gauges are kept.			Quantity of rainfall in inches.
CUDDAPAH.				NELLORE--cont.			
1	Jammalamadugu		0.64	20	Rápúr		3.77
2	Produttur		1.45	21	Gádúr		2.60
3	Badvél		1.50	22	Venkatagiri		2.74
4	Sidhout		0.96			Total	40.02
5	Chitvél		1.48			* Average	1.91
6	Rajampet		0.97	CHINGLEPUT.			
7	Ráyachóti		0.66	1	Sathiavédu		2.03
8	Cuddapah		0.99	2	Ponnéri		1.88
9	Kamalápur		0.74	3	Trivellore		2.61
10	Pulivendla		0.15	4	Sríperumbúdur		1.13
11	Kadiri		0.05	5	Poonamallee		1.90
12	Madanapalle		1.03	6	Sáidápet		1.59
13	Váyalpád		1.64	7	Conjeeveram		2.02
14	Pilér		1.37	8	Utramerur		1.09
	Total	..	13.63	9	Chingleput		0.90
	* Average	..	0.97	10	Madurántakam		0.91
NELLORE.						Total	16.06
1.	Addanki		0.93			* Average	1.61
2	Darsi		0.55	MADRAS.			
3	Podili		0.90	1	Madras		1.78
4	Kanigiri		2.00	SOUTH ARCOT.			
5	Udayagiri		0.86	1	Gingee		0.56
6	Kanuparti		2.02	2	Thadivanam		1.00
7	Ongole		1.52	3	Merkanam		0.29
8	Pakala		1.10	4	Vanúr		1.13
9	Kandukur		1.15	5	Viluppuram		1.09
10	Kávali		2.24	6	Paurutti		0.58
11	Iskapalle		2.04	7	Cuddalore		1.00
12	Nellore		1.13	8	Bhuvanagiri		0.77
13	Kristnapatnam		2.15	9	Chidambaram		0.27
14	Kota		4.91	10	Mannárgudi		0.22
15	Dugarajapatam		2.18	11	Chengam		1.14
16	Salurpet		1.75	12	Thiruvannámalai		0.09
17	Tada		1.85	13	Thirukoilúr		-
18	Monapalayam		2.07				
19	Atmakúr		1.60				

* With reference to the number of stations for which reports were received.

Statement showing the quantity of rainfall at the several authorised rain-registering stations, &c.—continued.

4

Stations at which tested rain-gauges are kept.			Quantity of rainfall in inches.	Stations at which tested rain-gauges are kept.			Quantity of rainfall in inches.
SOUTH ARCOT—cont.				SALEM—cont.			
14	Ulundurpet	..	1.75	8	Palakodu	..	0.17
15	Kallakurichi	..	0.07	9	Pennagaram	..	1.08
16	Vriddhachalam	..	0.31	10	Dharmapuri	..	1.09
17	Thittagudi	..	0.69	11	Uttankarai	..	0.89
	Total		10.47	12	Harur	..	0.15
	* Average		0.58	13	Omalur	..	0.66
NORTH ARCOT.				14	Salem	..	0.34
1	Kalahasti	..	2.44	15	Athur	..	0.80
2	Thirupathi	..	2.39	16	Thammampatti	..	1.35
3	Chandragiri	..	1.93	17	Bazipur	..	0.42
4	Puthur (Narayanasanam)	..	3.36	18	Sankaridrug	..	0.98
5	Tirutani	..	2.82	19	Thiruchengód	..	..
6	Arkonam	..	2.74	20	Namakkal	..	0.18
7	Wálájah	..	3.66	21	Parmathi	..	..
8	Arcot	..	3.08	22	Erkád	..	0.60
9	Vellere	..	2.30		Total		12.03
10	Gudiyáttam	..	0.74		* Average { Excluding Erkád		0.54
11	Chittoor	..	0.40		{ Including Erkád		0.55
12	Tiruvattur	..	0.14	COIMBATORE.			
13	Wandiwash	..	1.38	1	Kollegál	..	0.50
14	Arni	..	1.67	2	Gopibettipalayam	..	0.33
15	Polúr	..	0.02	3	Satyanangalam	..	0.41
16	Kangundi	..	0.43	4	Bhaváni	..	1.17
17	Venkatagirikóta	..	1.27	5	Erode	..	0.06
18	Palamanér	..	1.11	6	Perundurai	..	0.17
19	Punganur	..	0.35	7	Karúr	..	..
	Total		33.34	8	Aravakurichi	..	..
	* Average		1.67	9	Dhárápúram	..	0.70
SALEM.				10	Kangayam	..	..
1	Vaniyambádi	..	..	11	Palládam	..	0.17
2	Thirupathúr	..	0.60	12	Avanáshi	..	0.53
3	Kristnagiri	..	0.76	13	Coimbatore	..	1.19
4	Rayakóta	..	1.00	14	Méttupálayam	..	1.32
5	Hosúr	..	0.31	15	Polláchi	..	0.25
6	Thalli	..	..	16	Udamalpet	..	1.24
7	Denkanikóta	..	0.65		Total		8.04
					* Average { Excluding Kollegál		0.50
					{ Including Kollegál		0.50

* With reference to the number of stations for which reports were received.

Statement showing the quantity of rainfall at the several authorised rain-registering stations, &c.—continued.

5

Stations at which tested rain-gauges are kept.			Quantity of rainfall in inches.	Stations at which tested rain-gauges are kept.			Quantity of rainfall in inches.
TRICHINOPOLY.				TANJORE—cont.			
1	Perambalur	..	0.85	20	Muthupettai	..	0.50
2	Jayankonda Solapuram	..	0.35	21	Adirampattanam	..	..
3	Ariyalur	..	0.62	22	Kattumavdi	..	0.66
4	Kilpaluvúr	..	..	23	Arantangi	..	..
5	Thuraiyúr	..	0.06		Total		7.78
6	Musiri	..	0.10		* Average		0.37
7	Kulitalai	..	..	PUDUKOTA STATE.			
8	Ialgudi	..	0.05	1	Pudukota	..	..
9	Trichinopoly	..	0.26	2	Alangudi	..	..
10	Manappárai	..	0.91	3	Karambakudi	..	..
11	Iluppúr	..	..	4	Tirumiem	..	..
	Total		3.20	5	Kilandai	..	..
	* Average		0.29	6	Kulathur	..	..
TANJORE.				7	Viralimalai	..	..
1	Shiyáli	..	0.60		Total		..
2	Neidavasal	..	0.47		* Average		..
3	Máyavaram	..	..	MADURA.			
4	Tranquebar	..	0.48	1	Palai	..	1.26
5	Nannilam	..	0.08	2	Védasendur	..	..
6	Kodavasal	..	0.50	3	Dindigul	..	2.77
7	Negapatam	..	0.46	4	Nelakotai	..	1.85
8	Tiruválúr	..	0.26	5	Periyakulam	..	1.22
9	Tiruturaippúndi	..	0.41	6	Uthamapalayam	..	0.88
10	Vedaranyam	..	0.33	7	Usilampatti	..	2.69
11	Vedarányam	..	0.60	8	Thirumangalam	..	..
12	Kumbakonam	..	1.32	9	Thirushuli	..	0.38
13	Nidámangalam	..	0.26	10	Muthukulathur	..	1.94
14	Mannárgudi	..	0.19	11	Muthuraghunathapatnam	..	0.07
15	Tiruvádi	..	..	12	Morekulam	..	0.75
16	Tanjore	..	..	13	Pámban	..	0.34
17	Kallam	..	0.46	14	Ramnád	..	1.50
18	Patukóttai	..	..				
19	Thambikinnalavankottai	..	0.20				
20	Magilankottai	..	..				

* With reference to the number of stations for which reports were received.

Statement showing the quantity of rainfall at the several authorised rain-registering stations, &c.—continued.

Stations at which tested rain-gauges are kept.	Quantity of rainfall in inches.	Stations at which tested rain-gauges are kept.	Quantity of rainfall in inches.
MADURA—cont		NILGIRIS.	
15 Manakkudi	0.75	1 Devála	0.85
16 Theethandathanam	1.64	2 Gúdálúr	1.88
17 Vattanam	1.35	3 Naduvattam	2.86
18 Thiruvadanai	1.24	4 Pykara	2.77
19 Thirupattur	1.30	5 Kaity	0.52
20 Sivagunga	1.30	6 Ootacamund	0.58
21 Málúr	3.54	7 Kodanad	0.83
22 Madura	0.15	8 Kótágiri	0.97
23 Kodaikáhal	1.11	9 Wellington	0.88
24 Paramakudi	0.54	10 Coonocr	1.87
Total ..	26.47	11 Kilkundahs	2.44
*Average. { Excluding Kodaikáhal. 1.10		Total .. 14.01	
{ Including Kodaikáhal. 1.10		* Average .. 1.40.	
TINNEVELLY.		MALABAR.	
1 Viruthuppatti	0.22	1 Cannanore	0.20
2 Sátor	0.71	2 Tellicherry	0.23
3 Vilatikulam	0.03	3 Badagara	1.59
4 Otapidaram	0.03	4 Quilandi	1.42
5 Arasadi	0.03	5 Calicut	0.88
6 Tuticorin	0.22	6 Tirurangádi	0.51
7 Vartirayiruppu	0.65	7 Ponnáni	2.44
8 Srivilliputúr	0.49	8 Chevakad	4.75
9 Sankaranainárkoil	0.57	9 Cochin	8.58
10 Tenkási	0.45	10 Taliparamba	1.35
11 Ambásamudram	1.15	11 Nilambúr	0.57
12 Palameottah	0.75	12 Manjéri	0.75
13 Srivaikuntam	0.31	13 Angádipuram	1.04
14 Káyalpatnam	0.31	14 Pálaghat	0.31
15 Kulasagarapatnam	1.82	15 Manantoddy	1.82
16 Náangunéri	0.82	16 Vayitri	0.82
17 Radhapuram	0.82		
18 Kuttanguli	0.82		
Total ..	4.43	Total ..	27.26
* Average ..	0.25	* Average ..	1.70

* With reference to the number of stations for which reports were received.

Statement showing the quantity of rainfall at the several authorised rain-registering stations, &c.—concluded.

Stations at which tested rain-gauges are kept.	Quantity of rainfall in inches.	Stations at which tested rain-gauges are kept.	Quantity of rainfall in inches.
SOUTH CANARA.		TRAVANCORE STATE	
1 Coondapoor	2.75	1 Trivandrum	1.8
2 Udipi	2.07		
3 Mangalore	4.19		
4 Kásaragód	2.71		
5 Hosdrúg	5.15		
6 Karakal	1.30		
7 Bantval	0.89		
8 Beltangadi	2.52		
9 Puttur	3.78		
Total ..	25.36		
* Average ..	2.82		

* With reference to the number of stations for which reports were received.

REV. BOARD OFFICE,
DEPT OF REV. SETT., L. R. & AGRI,
Madras, 189

To
The Secretary to Government, R. D.
The Chamber of Commerce.

Secretary.

189 .

Board of Revenue

(Revenue Settlement, Land Records
and Agriculture),

MADRAS.

At Dated

Despatched

Received

189 .

Subject.

Statement showing the quantity of rainfall
at the several authorised rain-registering stations
in the Madras Presidency during the week
ending the

189 .

1898.

Board of Revenue

(Revenue Settlement, Land Records and Agriculture),

MADRAS.

PRICES OF THE STAPLE FOOD GRAINS for week ending

4th June 1898.

STATEMENT OF PRICES FOR THE WEEK ENDING 4th June 1898.

(Sott. 65-100-14-2-98)

Group.	DISTRICT.	PRICES IN SEERS OF 80 TOLAS PER RUPEE.																				REMARKS.				
		RICE.						RAGI.						CHOLUM.						CUMBU.						
		Last week.	This week.	Average for 10 years.	Normal rates.	Warning rates.	Scarcity rates.	Last week.	This week.	Average for 10 years.	Normal rates.	Warning rates.	Scarcity rates.	Last week.	This week.	Average for 10 years.	Normal rates.	Warning rates.	Scarcity rates.	Last week.	This week.		Average for 10 years.	Normal rates.	Warning rates.	Scarcity rates.
Circars ..	Ganjám ..	13.0	12.9	17.5	17.0	13.6	10.2	14.5	14.8	28.4	30.0	22.5	15.0	..	..	..	..	..	..	..	..	..	..	..	..	..
	Vizagapatam ..	12.4	12.3	15.0	15.0	12.0	9.0	17.9	17.9	27.1	28.0	21.0	14.0	18.6	18.5	..	..	..	..	19.1	19.1	18.2	30.0	22.5	15.5	
	Gólavari ..	10.4	10.5	15.1	15.0	12.0	9.0	16.6	16.6	27.6	28.0	21.0	14.0	17.6	17.6	26.4	28.0	21.0	14.0	18.7	18.5	26.4	28.0	21.0	14.0	
	Kistna ..	10.3	10.3	14.5	15.4	12.3	9.2	16.8	17.2	28.7	..	..	..	14.5	14.4	22.1	26.0	19.5	13.0	12.9	12.4	22.0	26.0	19.5	13.0	
Deccan ..	Kurnool ..	9.7	9.3	12.7	13.2	10.6	7.9	19.5	20.0	28.2	..	..	..	20.4	20.6	27.3	30.0	22.5	15.0	14.4	14.1	22.9	28.0	21.0	14.0	
	Bellary ..	9.5	9.6	12.4	13.2	10.6	7.9	22.5	22.5	34.5	..	..	..	20.8	20.6	27.4	30.0	22.5	15.0	..	..	..	..	..	..	
	Anantapur ..	10.1	10.1	14.0	13.2	10.6	7.9	20.2	20.1	23.1	32.0	24.0	16.0	19.8	19.6	20.3	30.0	22.5	15.0	17.8	17.8	26.0	28.0	21.0	14.0	
	Cuddapah ..	9.9	9.8	14.1	13.2	10.6	7.9	20.1	20.1	22.0	32.0	24.0	16.0	18.8	18.8	28.5	30.0	22.5	15.0	16.4	16.4	28.2	28.0	21.0	14.0	
Carnatic ..	Nellore ..	9.0	9.1	14.1	14.0	11.2	8.4	15.2	15.3	27.9	28.0	21.0	14.0	14.2	14.2	24.8	26.0	19.5	13.0	12.5	12.6	22.2	24.0	18.0	12.0	
	Chingleput ..	9.3	9.2	14.9	14.0	11.2	8.4	14.7	14.8	25.2	24.0	18.0	12.0	..	..	..	..	..	..	..	..	22.0	16.5	11.0		
	Madras ..	9.0	9.0	12.5	12.0	9.6	7.2	15.8	15.8	24.9	24.0	18.0	12.0	..	..	..	..	..	..	..	..	..	..	..		
	South Arcot ..	10.1	10.2	14.9	14.0	11.2	8.4	15.9	15.5	26.6	28.0	21.0	14.0	..	..	..	..	..	..	15.8	15.6	25.6	26.0	19.5	13.0	
Central ..	North Arcot ..	10.2	10.2	15.0	14.0	11.2	8.4	17.2	17.4	29.6	32.0	24.0	16.0	15.9	15.9	25.6	26.0	19.5	13.0	14.4	14.4	25.1	27.0	20.0	13.5	
	Salem ..	9.8	9.8	13.7	13.6	10.9	8.2	17.0	17.1	29.8	31.0	23.0	15.5	15.6	16.4	25.6	26.0	19.5	13.0	15.7	15.7	24.3	27.0	20.0	13.5	
	Coimbatore ..	9.8	9.8	13.2	13.0	10.4	7.8	18.4	18.4	25.0	28.0	21.0	11.0	15.5	15.5	21.9	21.0	18.0	12.0	17.5	17.5	24.7	26.0	19.5	13.0	
	Trichinopoly ..	9.5	9.4	14.2	14.0	11.2	8.4	15.5	15.5	26.5	28.0	21.0	11.0	16.4	17.1	22.6	24.0	11.0	12.0	14.5	14.7	24.2	23.0	19.5	13.0	
South ..	Tanjore ..	10.5	10.3	14.6	15.0	12.0	9.0	16.5	16.1	26.1	28.0	21.0	..	..	..	..	..	..	..	..	..	..	..	..	..	
	Pudukota ..	9.1	9.0	..	..	..	..	17.0	17.0	..	..	..	..	19.1	19.4	..	..	..	..	18.0	18.0	..	..	..	..	
	Madura ..	10.2	10.1	14.4	14.0	11.2	8.4	15.6	15.6	27.9	28.0	21.0	14.0	19.3	18.1	20.0	24.0	18.0	12.0	14.5	14.5	26.3	26.0	19.5	13.0	
	Tinnevely ..	10.1	10.2	13.1	13.4	10.7	8.0	13.9	13.9	24.3	26.0	19.5	11.0	14.7	14.6	23.5	23.0	17.0	11.5	12.6	12.8	20.5	22.0	16.5	11.0	
West Coast	Nilgiris ..	7.7	7.7	10.7	11.0	8.8	6.6	15.5	15.5	20.8	21.0	16.0	..	..	..	..	..	..	..	..	..	..	..	..	..	
	Malabar ..	9.5	9.4	12.6	13.4	10.7	8.0	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	
	South Canara ..	11.2	11.1	13.6	14.0	11.2	8.4	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	
	Travancore ..	7.9	7.9	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	

1898.

Board of Revenue

(Revenue Settlement, Land Records and Agriculture),

MADRAS.

7.2	1.8	8.4
0.8	1.0	2.2
2.2	2.8	2.4
1.2	5.1	2.2
0.2	2.1	2.2
2.2	2.2	2.2
0.8	0.2	1.8
2.2	2.2	4.2
2.1	4.2	8.2
8.1	2.2	7.1
6.1	2.2	8.2
2.2		1.2
0.8	5.2	8.2
2.2	2.2	2.4
1.2	1.2	4.2
0.2	0.2	1.2
7.2	0.2	6.2
7.2	0.2	0.4
0.2	0.2	
2.2	4.2	6.4
8.2	0.2	7.2
2.1	0.2	7.1
1.1	0.1	2.2
1.1	1.1	

Rainfall for the week ending 4th June 1898.

RAINFALL.

Week ending 4th June 1898.

Official year 1898-99.

DISTRICT.		ANNUAL.		Average up to the end of corresponding week for past 25 years.	1898-99. From 1st April to 4 th June	Corresponding period of 1897-98.	During week ending 4 th June 1898-99.	Average for corresponding period during the past 16 years.	DEATHS FROM CHOLERA.			REMARKS.
		Average of 25 years ending 1894.	1897-98.						From 1st April to 4 th June 1898-99.	During the last week.	During the present week.	
		Inches.	Inches.	Inches.	Inches.	Inches.	Inches.	Inches.	No.	No.	No.	
1	Ganjám	45.0	54.2	4.3	3.1	2.7	2.8	3.0	1	"	"	
2	Vizagapatam ..	Agency.	57.5	59.8	5.5	4.4	6.0	4.2	0.7	1	"	
		Littoral.	42.0	47.1	4.2	3.8	5.2	7.3	0.7	86	24	
3	Gó dá vari	38.9	46.5	2.5	1.7	4.1	1.5	0.4	2.1	43	24	
4	Kistna	33.6	32.0	2.2	1.8	2.0	2.7	0.4	2.5	12	57	34
5	Kurnool	27.6	25.1	2.2	2.2	2.8	2.6	0.4	2.2	12	4	8
6	Bellary	22.7	29.7	3.1	4.2	3.3	1.0	0.6	1.8	31	9	3
7	Anantapur	23.3	25.7	3.4	3.2	2.2	2.2	0.7	4.8	"	"	
8	Cuddapah	28.6	23.7	2.8	3.9	1.5	1.0	0.5	3.2	7	"	
9	Nellore	34.6	24.5	1.9	2.5	1.8	2.9	0.3	1.7	77	11	"
10	Chingleput	44.5	32.0	2.8	2.1	1.6	4.6	0.4	2.1	07	4	3
11	Madras	49.0	37.9	3.1	1.8	2.5	2.8	0.4	1.8	12	"	1
12	South Arcot	42.0	35.6	3.8	2.7	3.0	6.6	0.7	3.5	57	147	83
13	North Arcot	37.4	31.5	4.2	4.3	2.8	2.7	0.9	2.4	36	"	5
14	Salem	31.3	36.3	6.4	6.1	6.1	1.5	1.2	4.8	22	59	19
15	Coimbatore	25.5	27.4	6.1	5.8	6.0	6.5	0.9	1.6	96	15	30
16	Trichinopoly	33.7	35.3	5.6	5.3	5.9	0.0	1.1	2.2	72	15	16
17	Tanjore	43.8	30.2	4.0	3.0	2.9	2.4	0.8	0.2	56	2.3	4.8
18	Pudukkottai	"	26.7	"	3.4	3.0	2.8	"	70	"	13	19
19	Madura	29.9	26.8	4.6	5.9	4.5	2.1	0.5	2.6	44	118	59
20	Tinnevely	26.3	26.5	3.7	3.4	5.6	2.0	0.3	2.6	42	38	15
21	Nilgiris	62.6	74.8	10.7	8.2	11.3	11.4	1.8	1.1	"	"	"
22	Malabar	113.5	148.3	15.5	15.2	12.2	11.7	13.7	2.1	57	1	3
23	South Canara	142.0	181.1	11.5	7.4	6.0	2.8	3.2	1.1	47	"	"
24	Travancore	† 65.7	60.6	† 20.1	10.8	9.7	1.8	5.7	1.2	9	"	"

* 80 years' average—1813—1892.

† 53 years' average ending December 1890.

No.

From

Tram Report?

Man. in Henry Bliss. KC-1.3.
H. S. The Int.

Dated

189

FOR ORDERS.

Rain fall.

in the week has been almost. Every where above the average. The quantity of rain received up to the week is almost everywhere short. Though there have not been, very heavy falls almost all districts there is fair average because the rain has been very fairly evenly distributed.

Public Health

is on the whole satisfactory. Cholera shows a decrease. The three northern districts are quite free of it and so are Andapah hill and Chirapah. Fever and small pox are generally prevalent in Ganjam & in parts of Badwar.

Fires

present no marked features, but the tendency of rain in the fall dry season have fallen in both the h. West & hill though of course only slightly. Fires everywhere are still above warning and approaching scarcity - water.

21076
21076

The returns have not been recd. from Kaniyari so that no comparison with last week is possible. In this this time Tabula there is a slight increase in the numbers on relief. The price of rice in the distressed Tabula is 16.15 up to a heavily-rain of 14.0. It is for consideration whether the works shd. not be stopped.

Prospects are generally hopeful.

9/6/98.

Number on Relief. FOR ORDERS.

From a paper subregularly recd. I gather that: the total number on relief were 1199 up to 984 last week.

The numbers on relief are of course insignificant but may be argued that relief works are unnecessary. On the other hand, Prospects: the cost of relief is not serious, so that there is no strong reason for stopping the works. I think I wd. let them go on at least until we see how the monsoon develops.

10/6/98

I am of the same opinion.
2.94 10.6.98

When given for copying
When copied
When examined
When signed

189

READ AGAIN G.O., No.
189

DATED

OVERSEAS No.

ENCLOSURES TO G. No.

ORDER OF GOVERNMENT A A A A A A A

LETTER OF GOVERNMENT.

STATEMENT WITH DITTO.

PAPERS NOT FILLED UP, BEING MEANT FOR DESPATCH IN ORIGINAL.

N.B.—

A = Copy in full.
B = Not to be copied.
P = Copy abstract only.
Q = Copy heading only.