

Revenue 1898
IRRIGATION.
Government {1898} of Madras.
PUBLIC WORKS.

Recd. 11 Aug
Regd. 12 " } 1898.


Enclosures

Spare copies

G.O., No. 571 I., 25th July 1898.

JULY.

Sp. No. 3460 d/25-8-98.
Communicated to the
Board of Revenue.
18-8-98



10 To the Board of Rev. Res. Secy
6 " " (L.R.)
Tank at Ghataparti in Chitaldroog District

Concurring in the opinion of the Chief Engineer for Irrigation that it is inexpedient to accede to the proposal of the Mysore Durbar to construct a new —, and ordering that the Resident be informed accordingly.

24/8-98
17-8-98

No. 571 I., 25TH JULY 1898.

No. 1248, Political.

Transferred to the Public Works Department in continuation of endorsement No. 522, Political, dated 24th February 1898.

3rd June 1898.

(Signed) A. R. KNAPP,
Acting Under Secretary.

No. 202 I.

Note by the Chief Engineer for Irrigation.

In February last the Resident in Mysore forwarded, for the consideration of Government, a proposal made by the Mysore Durbar for the construction of a new tank near Ghataparti, which is within the area prohibited by the rules appended to G.O., No. 162 I., dated 18th February 1892.

2. The Superintending Engineer, III Circle, to whom the proposal was referred for report strongly deprecates the construction of the tank for the general reasons assigned in his letter No. 5791 I., dated 2nd February 1898, embodied in Proceedings of Madras Government No. 156 I., dated 2nd March 1898.

3. As the proposed tank would cut off 217 square miles of catchment of an affluent of the Hagari, which some 30 miles lower down supplies three British tanks irrigating 2,973 acres, and it is, moreover, believed that the Marikanawa reservoir, which will cut off the drainage of over 2,000 square miles of the upper part of the Hagari catchment, is likely to be shortly constructed, it is recommended that the sanction asked for may be withheld.

14th July 1898.

(Signed) J. C. LARMINIE,
Ag. Chief Engineer for Irrigation.

ORDER—No. 571 I., dated 25th July 1898.

The Government concurs in the opinion expressed by the Chief Engineer for Irrigation in the foregoing note.

2. Ordered that the following letter be sent to the Resident in Mysore.

[Here enter No 572 I., dated 25th July 1898.]

(True Extract.)

[Signature]
Under Secretary to Government,
Irrigation Branch.

To the Chief Engineer for Irrigation, with copy of letter.
" Superintending Engineer, III Circle.
" Revenue Department.

[Signature]
Exd. Shaik Karim.

When given for copying _____
When copied _____ } 189 .
When examined _____
When signed _____

READ AGAIN G.O., No. _____
189 ,

DATED

CURRENT NO.

ENCLOSURES TO O. No.

ORDER OF GOVERNMENT

LETTER OF GOVERNMENT

STATEMENT WITH DITTO

PAPERS NOT FILED UP, BRING MEANT FOR DESPATCH
IN ORIGINAL.

N.B.—

A = Copy in full.
B = Not to be copied.
P = Copy abstract only.
Q = Copy heading only.