

18-12-11

Revenue (1899) Department

PRESS SERIES.

G.O., No. 350.

Dated 2nd June 1907

[Despatch Abstract.]

Approving the proposals of the Collector of Krishna for the drainage of the Berwada tank & for the upkeep of works connected therewith & transferring the plans & estimates in respect of these works to the P.W. Department for sanction.

BACK PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

FURTHER PAPERS.

G.O.	No.	Department.	Date.	G.O.	No.	Department.	Date.

18-10-98.

Revenue (1899) Department.

CURRENT No.

Read the following papers:-

- (1) G.O. 278 of 27.4.97 Rs. 100
- (2) G.O. 263 of 22.5.97 Rs. 50
- (3) G.O. 2093 of 17.6.97
- (4) G.O. 1366 of 18.3.98
- (5) G.O. 4239 of 1.11.98 Rs. 100
- (6) G.O. 1769 of 21.4.98

A (7) Letter from the Chairman, Begwada Municipality No. 2307 of 20.2.99 and 2nd time on 9th Dec. 1900.

A (8) Letter from the S.R. Dept. No. 1563 of 1.5.99 and 2nd time on 17.5.99.

Order (Press 2) No. 350 of 2nd June 1899.

From the Local & Rural Dept.

The proposals of the Collector of District for the draining of the Begwada tank and for the upkeep of the works connected therewith will now be approved and the plans and estimates in respect of these works will be retransferred to the P.W. Dept for sanction.

No. 350.

Dated 27th March.

Received 30th.

Registered 30th.

Enclosures 2 and 1 bundle of plans.

Spare copies. —

SUBJECT.

Transf. to the P.W. Dept. from the Chairman, M.C. Begwada stating that the Council has agreed to maintain the Drain Works connected with the Begwada tank at a cost of Rs 200 annually.

to the P.W. D. with plans & estimates.
.. L.L.M. Dept.
.. Board of Rs. L.R.

100/100

To the P.W. D. L.L.M. Dept. for sanction.

31.5.99

BACK PAPERS.


G.O.	No.	Department.	Date.
	4239		8. 1-11-88.

FURTHER PAPERS.

G.O.	No.	Department.	Date.

Local & Munl. (1899) Department.

CURRENT No. 787M.



VII

From The Chairman
Biswada Municipality

Order to 368 327-3-77
Transferred to
the Revenue Department.

No. 2307

Dated 20th February 1899

Received

Registered

Enclosures 8 *one*
Spare copies *& a complete plan (not received)*

A Edgington
Sg. Assistant Secretary

7/2
24/3/99

SUBJECT.

Returning the enclosures
received with G.O. 4239
this of 1st October 1898
with information that
the Council resolved
to maintain the drain
& works connected
with the Biswada
Tank at a cost of
Rs 200 annually.

To the Revenue Department
(with enclosures not)

BACK PAPERS.

G.O.	No.	Department.	Date.

FURTHER PAPERS.

G.O.	No.	Department.	Date.

Local & Munl. (1898) Department.

CURRENT No. 3401

D 556
16/11/98

From

The Revenue Dept.

Order No. 1306 of 23 11-98

Forwarded

1 By order

A. B. J. J. J.

Ag Assistant Secretary

21/11/98

No. 4239 *mis*

Dated 1st November 1898.

Received

Registered

Enclosures 16 (including the plan)

Spare copies.

SUBJECT.

Requesting the Municipal Council Bezwada to state what arrangements they would be prepared to make for maintaining the works in connection with the draining the Bezwada Tank in the event of the Government's undertaking to construct the same at the expense of Provincial Funds.

To

The Chairman, M.C. Bezwada
with 16 enclosures including the plan (to be sent)

16/11/98

BACK PAPERS.

G.O.	No.	Department.	Date.

FURTHER PAPERS.

G.O.	No.	Department.	Date.

Copy of letter from Captain W.M. Ellis R.E. Executive Engineer Northern Division Kistna to the Superintending Engineer II Circle dated Bezwada 17th February 1898, No. 763 S.E.

Your No. 297 K, dated 1st February 1898.

Herewith plans and estimates for drainage Bezwada Taluk.

The delay in submission is due to having no overseer, Bezwada Taluk, or Sub Division Officer Head Quarters, for the last 6 months of 1897.

Copy of letter from the Superintending Engineer II Circle to the Executive Engineer, Kistna Northern Division dated 22nd March 1898 No. 820 L.N.

I have the honour to return the plans and estimates for drawing the Bezwada Tank forwarded with your No. 763 dated 17th February 1898, with the following remarks:-

You have given no hydraulic calculations to shew the sufficiency of the discharging capacity of the proposed drain.

With 2 feet of water, the channel will discharge (if my calculations are right) 26.5 ft. per second. I do not know what the catchment Basin of the tank is but assuming it is a square mile, this would only represent a discharge of 1 in, run off in 24 hours which will not do. If the catchment basin is only $\frac{1}{4}$ mile, the channel might be considered large enough.

The catchment basin of the tank should be ascertained.

Please let me know what objection there would be if any, to taking an entirely new channel straight from the tank to the Hlore canal as shown in red pencil in the plan and passing it under the railway by a couple of $2\frac{1}{2}$ ft. diameter pipes. The length would only be 1300 ft. against the present one which is 3500 ft. long & it could be given a fall sufficient to give a velocity, three times that of the present channel so trebling the discharging capacity, if necessary.

This work is not perhaps now under you but as you have

787/50/77

NO. 2307

From

The Chairman,

Bezwada Municipality.

To

The Secretary to Government
Local & Municipal
Department
through the Collector & District
Assistant Collector

Dated

Despatched

Received


20

February 1899

Enclosure
1 resolution
a bundle
of papers.

Sir,

With reference to G.O. No. 4239
dated the 1st November 1898,
I have the honor to enclose
herewith the enclosures received
with the above and inform
that the Council is resolved
to maintain the drains and
works connected with the
Bezwada Tank at a cost
of Rs 200 annually.




7/1/1899

2. A copy of Council's resolution adopting the proposal is enclosed.

Thancie Amto he

Sir,
Your most obedient servant



S. Anipasa
Channan
M.C.

516
S.P.

Forwarded to the Secy

Madras

cc. Secy to Govt.

22.2.25

253
S.P.

N.D. 253

Forwarded.

Collector

THIRU

Print

Letter from the Supy. Engineer, 2nd file,
No 156. S. dated 8th May 1899

No 230 D

Forwarded to the Revenue Dept
with reference to note of 25 April
1899. The allotment of Rs 200 would
appear to be adequate.

Postmarked
17th May
1899

W. H. H. H.

Joint Secy to Govt. P. W. D.
Engineering Branch

1.

The Secy to Govt.
Rev. Dept, under Secy to Govt.

East of the L & M Dept No. 368

8 27-3-98 (Cus 2225)

To the Under Secretary

please see the note
under G.O. $\frac{4239}{1-11-98}$

(1) In February 1897 the
Collector of Kistna proposed
that a certain tank in Beg-
wada which was in an
unsanitary condition ^{of the tank} be drained and the land level-
led at the cost of Govt, and
the reclaimed land (about
40 acres) handed over to the
Forest Dept for being planted
with teak, and

(2) that the drain ^{when}
completed be made over
to the Municipal Council
for upkeep.

The

The Board supported the Collector's proposals, but the Govt deferred passing final orders on them as it desired first to have a report on the proposal from an engineering officer, especially as regards the cost of draining the tank.

Go. $\frac{2636}{22-5-97}$ B

2. Plans and estimates amounting to Rs 2,700 for draining the tank were accordingly forwarded by the P.W.D. together with a description of the work, which the Board states briefly in paras 4-6 of the note above referred to. These were forwarded in November last to the Municipal Council which was asked to state what arrangement it was prepared to make for maintaining the drain and the works connected with it in the event of the Govt undertaking to

under G.O. $\frac{4239}{1-11-98}$ X

Go. $\frac{4239}{1-11-98}$ X

to construct the work at the expense of provincial funds.
3. In the current read above, the L & M. Dept forwards a resolution of the Municipal Council to prohibit it undertaking to maintain the drain and the works connected with it at a cost ^{not exceeding} of Rs 200 per annum.

Orders are requested as to whether the Collector's recommendations which are supported by the Bd of Rev Magistrate ^{may} be approved and the plans and estimates retransferred to the P.W.D. for sanction.

RD 22-4-99
Lcy
P.W.D. may be asked to advise whether the Dept's allotment of Rs 200 p.a. is adequate for efficient maintenance

He
25/4/99
J. A. 16/4/99

To the Under Secretary.

With reference to the Revenue Dept. U.O. No. 26th April last, the P.W. Dept. states, after consulting the Suptg Engineer, II circle, that the sum of Rs 200 (not exceeding Rs 200) proposed to be expended ^{annually} by the Bezawada Municipal Council in the ^{annual} up-keep of the drain and works connected with the draining of the Bezawada tank, "would appear to be adequate". It is submitted that the collector's proposals for the draining ~~works~~ ^{improvements} of the tank and the up-keep of the works ~~in~~ ^{connected} therewith be now approved and the plans and estimates re-transferred to the P.W. Dept. for sanction.

Levy
18/10/88
J. S. 19/5/79

To U.S.

Please see draft order on docket.
J.S.
P.W. & L.M. may be asked to concur
J.S.
19/5/99

p. 3 supra.

pp. 4 & 5 supra.

p. 1 supra.

Lt. H. No. (S. 1000)
J.S.W. W.H.
30.5.99
No. 194
25.5.99

to. CCW
the draft order on the
draft may it is submitted,
now issue.
WS
31.V.99.
June 16/99

Government {1899} of Madras.
REVENUE.

Recd. }
Regd. } 1899. Enclosures
Spare copies

G.O., No. 350, 2nd June 1899.

JUNE.

Bezwada Tank.

Approving the proposals of the Collector of Kistna for the draining of the — and for the upkeep of works connected therewith and retransferring the plans and estimates in respect of these works to the Public Works Department for sanction.

Resolution—Mis. No. 1297, dated 6th April 1897.

The papers read above will be submitted for the orders of Government.

2. The Board supports the Collector's recommendation that the tank-bed may be drained at the cost of Government and handed over at an early date to the Forest Department which will then plant it with babul. If this recommendation is accepted, it is requested that orders may be issued to the Public Works Department for the preparation of the necessary estimate.

3. The Collector has also proposed to make over the drain to the municipality for maintenance. He will be requested to ascertain the views of the municipal council in this matter and to forward a copy of its resolution.

(True Copy and Extract.)

(Signed) R. C. C. CARR,
Secretary.

To the Secretary to Government, Revenue Department,
with a copy of Board's Proceedings, Mis. No. 755, dated 26th
February 1897, and a list and nine enclosures to be returned.

Order—Mis. No. 2118, Revenue, dated 27th April 1897.

The Collector's letter referred to in the Board's Proceedings has not been received and should be forwarded for reference.

(True Extract.)

(Signed) G. STOKES,
Ag. Secretary to Government.

To the Board of Revenue (Land Revenue).

Read—again G.O., Mis. No. 2636, Revenue, dated 22nd May 1897 on Board's Proceedings R., No. 1385A, dated 7th May 1897, forwarding the Collector's letter called for above.

ABSTRACT.—Expressing the desire of Government to have a report from an Engineer on the proposal to drain a certain tank-bed land in Bezwada, Kistna district, especially as regards the cost of draining the tank.

Read—again the following G.O., Mis. No. 3093, Revenue, dated 17th June 1897 :—

Read—the following Proceedings of the Board of Revenue (Land Revenue), Mis. No. 2087, dated 9th June 1897 :—

Read—the following letter from J. K. BATTEN, Esq., I.C.S., Acting Collector of Kistna, to the Secretary to the Commissioners of Land Revenue, dated 28th May 1897, Dis. No. 2130-Ver. of 1897 :—

With reference to paragraph 3 of Board's Proceedings (Land Revenue), Mis. No. 1297, dated 6th April 1897, I have the honour to state that the municipal council, Bezwada, is unable to say anything definitely until it is furnished with a plan and general description of the drain proposed to be constructed, and to request that the Department of Public Works may be ordered to comply with the council's request.

2. A copy of the municipal council's resolution is enclosed.

Resolution—Mis. No. 2087, dated 9th June 1897.

Submitted to Government in continuation of Board's Proceedings, Mis. No. 1297, dated 6th April 1897, disposed of in G.O., Mis. No. 2636, dated 22nd May 1897.

(True Extract.)

(Signed) N. S. BRODIE,
Acting Secretary.

To the Secretary to Government, Revenue Department,
with a letter and one enclosure to be returned.

Order—Mis. No. 3093, Revenue, dated 17th June 1897.

Transferred to the Public Works Department in continuation of G.O., Mis. No. 2636, Revenue, dated 22nd May 1897, for favour of issue of the necessary orders.

(True Extract.)

(Signed) G. STOKES,
Ag. Secretary to Government.

Read—again G.O., Mis. No. 1366, Revenue, dated 18th March 1898.

ABSTRACT.—Requesting the Public Works Department to state whether any and, if so, what action has been taken in regard to the question of draining certain tank at Bezwada.

Read—again G.O., Mis. No. 1709, Revenue, dated 21st April 1898.

ABSTRACT.—Informing the Collector of Kistna that the question of draining the tank in Bezwada is still under reference to the Public Works Department.

Read—again the following G.O., Mis. No. 4239, Revenue, dated 1st November 1898 :—

Read—the following Memorandum from A. S. RUSSELL, Esq., Under Secretary to Government, Public Works Department, to the Secretary to Government, Revenue Department, dated Madras, 21st June 1898, No. 2939-C. :—

Read—the following letter from the Superintending Engineer, II Circle, to the Under Secretary to Government, Public Works Department, No. 1721 K.E., dated 5th June 1898 :—

With reference to your memorandum No. 2609 C., dated 23rd May 1898, I have the honour to return the plans and estimates for the draining of the Bezwada tank duly signed. The object in view as explained in the report will, I consider, be attained by the proposed work.

I enclose for your further information copies of correspondence which passed between myself and Captain Ellis regarding this work, from which you will see that although the estimates and plans were submitted unsigned, by an oversight on the part of my office, the scheme was duly scrutinized and considered by me before submitting it for sanction.

MEMORANDUM.

The plans and estimate for draining the Bezwada tank, forwarded by the Superintending Engineer, II Circle, are approved in this department, and are transferred, together with enclosures to Board's Proceedings, Mis. No. 1297, dated 6th April 1897, to the Revenue Department for orders with reference to G.O. in that Department, Mis. No. 2636, dated 22nd May 1897.

2. It should be noticed that the improvements estimated for are merely to gradually drain the deep bed of the tank, the size of the new drain being fixed with reference to the discharging capacity of the existing culverts. Much heavier outlay would be entailed by making the drain of size sufficient to discharge quickly the flood discharge of the catchment basin of the tank, and this does not appear to be wanted.

(Signed) A. S. RUSSELL,
Under Secy. to Govt., P.W.D.

To the Revenue Department, with papers in original.

Read—Proceedings of the Board of Revenue (Land Revenue), No. 2446, Routine, dated 1st October 1898.

ABSTRACT.—Requesting Government to inform the Collector of Kistna direct of any orders passed on the draining of a tank in Bezwada, Kistna district.

Order—Mis. No. 4239, Revenue, dated 1st November 1898.

The municipal council, Bezwada, is requested to state what arrangements they would be prepared to make for maintaining the drain and works connected therewith in the event of the Government's undertaking to construct the works at the expense of Provincial funds in accordance with the plans and descriptions forwarded herewith.

(True Extract.)

(Signed) G. S. FORBES,
Secretary to Government.

To the Municipal Council, Bezwada, through the Local and
Municipal Department (with plans and estimates).
Copy to the Collector of Kistna, through the
Board of Revenue (Land Revenue).

READ—also the following letter from M.R. Ry. S. LINGAYYA, Chairman, Bezwada municipality, to the Secretary to Government, Local and Municipal Department (through the Collector and the Head Assistant Collector), dated 20th February 1899, No. 2307:—

With reference to G.O., Mis. No. 4239, dated the 1st November 1898, I have the honour to return herewith the enclosures received with the above and inform that the council is resolved to maintain the drain and works connected with the Bezwada tank at a cost of Rs. 200 annually.

2. A copy of council's resolution adopting the proposal is enclosed.

ENCLOSURE.

PROCEEDINGS of the Municipal Council, Bezwada, dated 15th February 1899.

Read—again resolution No. 9, dated 13th December 1898, on the subject of draining Bezwada tank with the opinion of the Executive Engineer, Kistna Eastern division, in his Mis. No. 1713, dated 6th February 1899, thereon.

The municipality is willing to pay for ordinary maintenance, silt clearance, pointing to masonry, &c., not exceeding Rs. 200 a year.

Read—endorsements of the Head Assistant Collector and the Collector, dated 22nd February and 1st March 1899, respectively, forwarding the above.

Endorsement thereon of the Local and Municipal Department, No. 368, dated 27th March 1899.

Transferred to the Revenue Department.

To the Revenue Department (with enclosures returned).

READ—also the following letter from Captain W. M. ELLIS, R.E., Officiating Superintending Engineer, II Circle, to the Chief Engineer for Irrigation, dated Bezwada, 8th May 1899, No. 156 I:—

[Your No. 72 K. S. of 1st May 1899, regarding the drain proposed to be constructed to drain Bezwada tank]

I am of opinion that the proper maintenance of the drain as designed will not involve an average yearly expenditure in excess of Rs. 200. The section line on which the drain is plotted was commenced near the Railway above the tank and taken along the existing drain from the Paracherry at Wynchpet. The proposed drain only starts at 2,470 feet along this line. The total length of the drain proposed is therefore $(6,500 - 2,470) = 4,030$ feet. The bed fall is 2 feet per mile and bed width 8 feet.

Endorsement by W. HUGHES, Esq., Joint Secretary to Government, Public Works Department, Irrigation Branch, No. 230-D., dated 17th May 1899.

Forwarded to the Revenue Department, with reference to note of 25th April 1899. The allotment of Rs. 200 would appear to be adequate.

To the Secretary to Government, Revenue Department,
with enclosures returned.

ORDER—No. 350, Revenue, dated 2nd June 1899.

Miscellaneous.

The proposals of the Collector of Kistna for the draining of the Bezwada tank and for the upkeep of the works connected therewith will now be approved and the plans and estimates in respect of these works will be retransferred to the Public Works Department for sanction.

(True Extract)

(Signed) G. S. FORBES,
Secretary to Government.

To the Public Works Department,
with plans and estimates.
,, the Local and Municipal Department.
,, the Board of Revenue (Land Revenue).

Exd. Shaik Karim.

60 Copies.

Return copy to the

Returned for signature.

Despatched in print.

Read AGAIN G.O. No.
150

Current No.

Language of the

Form of the

Letter of Government.

Statement with photo.

Papers not filed up being sent for review
in original.

N.B.—

A = Print in full.
B = Not to be printed.
P = Print abstract only.
Q = Print heading only.

Number of copies
to be made.
Other copies with letter.