Sheet No. 481 Revr 25[illegible]

Dry Rate

Sheet No. 481 Revr 25[illegible]

Kadambara Kovil

14	0-8-8	14-9	7	7	Perumpoke Topo	Fisc	Pt	Not known	The Archs of Coll: Ht	Kadam banatha Swamiyar	In Tarapady Town Topes on the S sides of the Village R 15 In Comb: Kadambara the Swamiyar Pagoda Topes
15	2-7-8	5-2-6	5	7							
16	2-8-12	5-0-6	5	9							
18	7-10-2	10-0-8	16	11							
482	6-2-6	7	7								
	18-4-29	86	39	9							

Kadambara Kovil

Kadambatha Swamyyar Pagoda Managers Mudaliyar men of the Village

This Perumpoke Topo is [illegible] under Enclosure as it appears to have been destroyed in the Cyclone.

J. D. P.

To be confirmed in one RC till do long as the Pagoda exists

1/12/69

T.R. 12/10/69.

Case No. 1.

Devadayer

Corrections in this page

P. Arunachalam Ext.

H. Robinson

Inam Commissioner.

Ent'd N. Alla 22-10-69

Sheet no 189

Extra Peg. no I

Sheet no I

Throtregam Village Kadambankoot Mathenadu Kadaiyal

No.	Name of Village	Name of Survey Field	Name of Owner	Extent	Assessment	Remarks
1	2	3	4	5	6	7

190

Shed-No

Sowdamini out Commune 12-- 0.99

5-4 — For the service of the Kovil Kaatha Saram The service is performed to the day

Service to be performed

Tanjadesham

To dock Puttam

Kadambankoot Kaatha Survey No 1184 Pt Extent 11 a 00 w Assessment Fr 184

To dock Puttam

Kadambankoot Kaatha Survey No 1211 Pt Extent 11 a 00 w Assessment Fr 185

To dock Puttam

Kadambankoot Kaatha Survey No 1249 Pt Extent 11 a 00 w Assessment Fr 249

Kadambankoot Kaatha Survey No 1268 Pt Extent 11 a 00 w Assessment Fr 268

Kadambankoot Kaatha Survey No 1249 Pt Extent 11 a 00 w Assessment Fr 249

Priest for the time being

Pulleyar Kaal

Manager for the time being

1) Nagana Arima Pillai Mandali

2) Kadambankoot Kaamandali

This is a Throtregam Village in which Rs 4+10-9 is assessed and is payable to Govt. The Extent herein shown is the survey area

This is a Devastanam Throtregam

The train is called to be examined to the Patta to see as the service is performed

A Ramachandra Pillai

D.C.

30/10/01

7 Sept 1156

Exd. K

3/8+1.16

K

Survey of the Lots of Seams in the Village of Kadambara Kovil Srotriam Village in the Taluq of Madhurantakam

Total Dyetch as per Paimash

Divatagam
Dry 93-13-6
Wet 7-12-4
Gardens 3-5-6
104-15-0

Deduct Porambokes
Dry 50-14-12
Wet 1-13-2
Gardens 1-0-6
53-12-4

Remainder
Dry 42-14-10
Wet 3-15-2
Gardens 2-3-0
51-2-12

Deduct Seamdasts
Seams as per Register 19-6-2

Remainder Protesting Lands
Dry 24-13-6
Wet 4-18-6
Gardens 2-5-0
31-12-10

For the Support of Kadambara Kovil Srotriam Kist 41-11-11

Pagodas

Kadambara Kovil Srotriam Village

	Dry			Wet			Gardens			Total		
	Extent	Assessment		Extent	Assessment		Extent	Assessment		Extent	Assessment	
	K. A. P.	R. A. P.		K. A. P.	R. A. P.		K. A. P.	R. A. P.		K. A. P.	R. A. P.	
Seams	42-14-10	12-8-2		3-15-2	1-1-6		2-3-0	0-7-6		48-12-12	13-17-4	
Porambokes	50-14-12	3-7-0		1-13-2	0-2-0		1-0-6	0-0-6		53-12-4	3-9-6	
Protesting Lands	24-13-6	7-4-0		4-18-6	1-4-0		2-5-0	0-7-6		31-12-10	8-15-6	
	118-6-8	22-19-2		10-5-10	2-7-6		5-8-12	0-15-6		134-1-6	26-2-2	

For Branch Tarabur Accounts Seams

Kadambara Kovil Kadambara Seams

Register of Kadambara Kovil Srotriam Extent as per Lots = 3-4-

Dry
2-0-0
Wet
8-14-0
Gardens
1-10-0
12-8-0

Exclusive of Seams & Porambokes
For Harbour Roads
Road
Seams Stones
K. A. P. Berry
Dry 2-0-0 6-2-0
Wet 8-14-0 50-0-0
Gardens 0-11-0

For the Support of Perpetual Srotriam Pagodas
Kadambara Kovil Kadambara Kovil Srotriam
Seams
K. A. P.
56-0-0
Total R. A. P.
84-6-2
Srotriam Kist 41-11-11
Net proceeds to the Pagodas
42-10-3