Reg. No. 361
Sheet No. 88

3.

Register of Inams in the village of Karamangalnadanpettai (No. 119) in the Tirumilandur Mayanam Mayavaram Taluk Tanjore district

Regr. No. 362

1.	Rel. Endt.	Dry 48, 111, 119, 121	1-26-1½, ..-12-6½, ..-19-.., ..-9-6½; 2-26-12¾	2.67	3-11-10	The proceeds of this Inam & tope are appropriated to the expense of Saktipuriswaraswami's Pagoda in the village. The Pagoda is said to be in good condition & the worship is rendered	Freed of not tax known	not known	no documents	Sakti-puriswaraswami	I.C. F1216 Pagoda maniem tope Rs. 18-8½	I.C. F1238 Saktipuriswara swami maniem tope 8-39-13½ I.C. [illegible] there was a small excess in [illegible] & a trifling deficiency in another	Saktipuriswaraswami at Karamangalnadanpettai. Trustee Gyanasambandha Pandara Sannadhi	To be confirmed subject to the payment of Rs. 1-8-0 for the excess. 24/2/62 Mayavaram Tahsildar [illegible]	T.D. No 782 Cert. 7 P. Chetrabala Agra 9 Jun 63
	[illegible] [illegible] Rs.-8-15¼. The [illegible] [illegible] chavadi [illegible] Rs.1 [illegible] Rs. ..-8-5	Tope 11, 23, 42, 50, 55, 58, 60, 63	1-23-12, 1-13-1¾, ..-19-11¼, ..-39-9¾, ..-12-1½, 1-3-1¾, ..-5-2, ..-17-8½; 6-14-½	.35	8-14-2										
			9-..-13¼	9.02	12-10-..										

Register of Inams in the village of Uluttakkuppai (No. 120) in the above Mayanam Mayavaram Taluk Tanjore district

Regr. No. 363

1	Do.	Dry 581	..-11-6½	.28	..-6-..	Do. Do. of Kalahastiswaraswami's Pagoda in the village. The Pagoda is said to be in good condition & the worship is rendered	Do.	Do.	Do.	Kalahastiswaraswami	I.C. F1216 Iswara Pagoda tope ..-14-7½	I.C. F1238 Kalahastiswarar swami Iswara maniem tope 4-1-5½ The difference [illegible] [illegible] deficiency [illegible] in [illegible] No 775	Kalahastiswaraswami at Uluttakkuppai. Worshipper Thiruvenkatachari	To be confirmed. 26/2/62 Mayavaram Tahsildar [illegible]	T.D. No 783 Cert. P. Chetrabala Agra 9 June 63
		Tope 375, 490, 557, 558, 560, 561, 562, 577, 579	..-9-3½, ..-14-12½, ..-21-9½, ..-18-3½, ..-7-14, ..-26-13, ..-19-4, ..-12-.., ..-18-..; 3-29-2½	3.73	4-14-8										
			4-..-9	4.01	5-4-8										
2	Charity Endt.	Wet 223	..-3-10½	.09	..-2-..	Do. Do. of Water pandal chavadi in the village. The building is said to be in good condition & the charity is regularly kept up	Do.	Do.	Do.	Chavadi	Not entered in F1216	I.C. F1238 Tannir pandal chatram Iswara maniem tope 4-10-5	Water pandal chavadi at Uluttakkuppai. Manager Chockalingapillai	To be confirmed and continued so long as the charity is efficiently maintained. [illegible] 26/2/62 Mayavaram Tahsildar [illegible]	T.D. No 784 Cert. P. Chetrabala Agra
	[illegible] [illegible] [illegible] and [illegible] chavadi [illegible]	Dry 306	..-16-9	.42	..-8-8										
		Garden 296, 302, 303, 305	..-1-14, ..-2-13½, ..-1-1½, ..-21-.., ..-27-11½	.69											
		Tope 222, 224, 226	..-30-3½, ..-28-7, 1-23-7; 3-2-6½	3.06	4-..-6										
			4-10-5	4.26	5-10-..										

Register of Inams in the village Ramanpatti (No. 122) in the above Mayanam [illegible] Taluk Tanjore district

Regr. No. 364

1	Rel. Endt.	Tope 24, 85, 87, 193, 195, 198, 199, 200, 202, 203, 205, 207, 208, 223, 325, 327, 328	..-11-6, 1-8-12, 2-9-10¼, ..-15-5, ..-7-12¼, ..-4-2, ..-4-11, ..-6-9, ..-7-.., ..-16-8, ..-10-.., ..-22-.., ..-21-4, ..-16-4, 2-..-.., 2-19-3¼, 2-14-..			Do. Do. of Mayuranadhaswami's Pagoda at Mayavaram. The Pagoda is said to be in good condition & the worship is rendered	Do. Do.	The annual assessment on Ayan land plus 10 Rs. is Rs 40-7-15	Do. Do.	Mayuranadhaswami	I.C. F1216 Sri Mayuranadhaswami tope Rs 11-8½	I.C. F1238 Mayuranadhaswami Iswara maniem tope 13-25-4½ The difference between this and the extent W.R. is [illegible] [illegible] in Ayi [illegible] No 325	Mayuranadhaswami at Mayavaram. Trustee Vaidyanadha Tambiran	To be confirmed. There is no excess in the [illegible] to be charged. 24/2/62 Mayavaram Tahsildar [illegible]	T.D. No 785 Cert. P. Chetrabala Agra 9 Jan 63
			13-35-7¼	13.89	18-4-8										

Register of Inams in the village of Agaramanakkudi (No. 123) in the above Mayanam Mayavaram Taluk Tanjore district

Regr. No. 365

Do. Do. of Water pandal chavadi [illegible] village [illegible] building [illegible]	Do.	Do.	Do.	Do.	Chavadi [illegible]	I.C. F1238 Water pandal chavadi [illegible]	Water pandal chavadi at Agaramanakkudi. Manager [illegible]	In the account of F1216 for this [illegible] the extent of Agaramanakkudi [illegible] as Rs ..-57. But as the [illegible] [illegible]	T.D. No 786 Cert. P. Chetrabala		

No 85

Register of Kandavanam Situated in the village of Kattam Ex 229 Kayavaram Taluq Tanjore District

1 Dharmi Ayyan	Dry Ex 287	21½ Cawny	·54	a – 18 – 0	Tanjore Permanent Survey Nanuk of Fasli 1238
	Do Ex 287	2½ Cs	·25	a – 6 – 0	
	Total	38½ Cs	·79	1 – 3 – 0	
closed		38½ Cs			

Fasli 1238 kandavanam

Do Kandavanam – Ho Kattam Manai Site of Jan along 20 yds Ho to Ely Kattam yds yds 7 yds 3 yds Ho Jan Ho a Kattam Ely 1–12–4 Ho Kattam Ely Jan along yds Kattam Ho Jan Ely Kattam Ho Ely Kattam Ely

The same pmt Ely

Fully assessed
A. Kandiah
Manager
9/11/44.

Regr. No. 85
Sheet No. 87

செப்பனிடுவதற்காக ஒப்புக்கொள்ளப்பட்டது
மாதம் 1940 வருடம்
செப்பனிட்டு முடித்த ஒப்புவர்
மாதம் 1940 வருடம்
தாராத்தை உதவியாளரின் கையொப்பம்